

REINA

DESIGNER RADIATOR

2025-2026

REINA

DESIGNER RADIATOR

All materials, content, and intellectual property included in this brochure, including but not limited to text and images, are the property of Atay Global Ltd unless otherwise stated. No part of this brochure may be reproduced, distributed, or transmitted in any form or by any means, electronic or mechanical, without the prior written permission of Atay Global Ltd. Specifically all images are © 2025/2026 “All rights reserved” by Atay Global Ltd.

COLUMN RADIATORS 8-17

HEDINGHAM VERTICAL 8
HEDINGHAM HORIZONTAL 9
COLONA 2 COLUMN VERTICAL WHITE 10-11
COLONA 3 COLUMN VERTICAL WHITE 10-11
COLONA 2 COLUMN HORIZONTAL WHITE 12-13
COLONA 3 COLUMN HORIZONTAL WHITE 12-13
COLONA 4 COLUMN HORIZONTAL WHITE 12-13
COLONA 2 COLUMN VERTICAL ANTHRACITE 14
COLONA 3 COLUMN VERTICAL ANTHRACITE 14
COLONA 2 COLUMN HORIZONTAL ANTHRACITE 15
COLONA 3 COLUMN HORIZONTAL ANTHRACITE 15
COLONA 2 COLUMN VERTICAL LAQUER 16
COLONA 3 COLUMN VERTICAL LAQUER 16
COLONA 2 COLUMN HORIZONTAL LAQUER 17
COLONA 3 COLUMN HORIZONTAL LAQUER 17

MILD STEEL RADIATORS 18-83

FLAT VERTICAL SINGLE & DOUBLE 18
FLAT HORIZONTAL SINGLE & DOUBLE 19
NEVA VERTICAL SINGLE 20
NEVA VERTICAL DOUBLE 21
NEVA HORIZONTAL SINGLE 22
NEVA HORIZONTAL DOUBLE 23
CONEVA VERTICAL 24
CONEVA HORIZONTAL 25
RIONE SINGLE 26
RIONE DOUBLE 27
REFLECT 28
NEVAH 29
BONERA VERTICAL 30
BORDA 31
SLIMLINE VERTICAL 32
SLIMLINE HORIZONTAL 33
DIMARO 34
COREDO 35
GRANDE 36
ALETTA 37
FIORE 38
LINE 39
ANCORA 40
TODI 41
GRACE BRUSHED BRASS 42
GRACE GUN METAL 43
GRACE CHROME & WHITE & ANTHRACITE 44
CHISA BRUSHED BRASS 45
CHISA GUN METAL 46
CHISA CHROME & WHITE & ANTHRACITE 47
MATERA BRUSHED BRASS & GUN METAL 48
MATERA CHROME & BLACK 49
PANARO BRUSHED BRASS 50
FLORINA BRUSHED BRASS 51
FLORINA GUN METAL 52
FLORINA CHROME 53
FLORA BRUSHED BRASS 54
FLORA GUN METAL 55
PETTINO 56
AVOLA 57
PIETRA 58
SESIA 59
SORI 60
GLORA 61
REZZO 62
NARDO 63
ELVINA 64
ELVINA 2 65
LAGO 66
BRENO 67
TEANO 68
NOLA 69
KALE 70
VASTO 71
SERPE 72
ELISA 73
ARBORI 74
CLARO 75
SERENA BRUSHED BRASS & GUN METAL 76
SERENA CHROME & ANTHRACITE & BLACK 77
MARCO 78
ALIANO 79
CARPI 80
TRENTO 81
REGINA 82
ASHEN 83

TRADITIONAL RADIATORS 84-87

VICTORIA 84
ALICIA 85
OXFORD 86
CAMDEN 87

TOWEL RAILS 88-98

DIVA 25MM 88-89
DIVA BLACK FLAT 90
DIVA ANTHRACITE FLAT 91
DIVA WHITE FLAT 92
CAPO CHROME FLAT & CURVED 93
CAPO BLACK FLAT 94
CAPO ANTHRACITE FLAT 95
CAPO WHITE FLAT 96
OTTONE BRUSHED BRASS 97
OTTONE GUN METAL 98

ALUMINIUM RADIATORS 99-118

WHY CHOOSE ALUMINIUM RADIATORS 99
ALBANO BRASS EFFECT 100
ALBANO SILVER & WHITE & ANTHRACITE 101
CALDARO VERTICAL BRASS EFFECT 102
CALDARO VERTICAL WHITE 103
CALDARO HORIZONTAL ANTHRACITE 104
GIO 105
CASINA VERTICAL 106
CASINA HORIZONTAL 107
PIATTO VERTICAL 108
PIATTO HORIZONTAL 109

LOCO VERTICAL 110
LOCO HORIZONTAL 111
RESIA VERTICAL 112
RESIA HORIZONTAL 113
MELVIN 114
PICOLI 115
CARPENA 116
VADA 117
RIENZA 118

STAINLESS STEEL RADIATORS 119-139

WHY CHOOSE STAINLESS RADIATORS 119
LUNA 120-121
EOS 122
SAVIO 123
GROSSO 124
PIAZZA 125
CAVO 126
CELICO 127
CAPELLI 128
RICADI 129
ADORA 130
LOVERE 131
MISA 132
ALENTO 133
BELBO 134
ELVO 135
HELIN 136
ARDEN 137
MINA 138
SQUARE 139

ELECTRIC RADIATORS 140-172

ARNAGE DRY ELECTRIC POLISHED & MATT BLACK 140
ARNAGE DRY ELECTRIC BRUSHED BRASS 141
ARNAGE DRY ELECTRIC GUN METAL 142
MAIRA DRY ELECTRIC 143
SOLARA BRUSHED BRASS 144
SOLARA GUN METAL 145
PELMO BRUSHED BRASS & GUN METAL 146
PELMO POLISHED & MATT BLACK 147
VISPA BRUSHED BRASS 148
VISPA GUN METAL 149
VELINO BRUSHED BRASS & GUN METAL 150
VELINO MATT BLACK & POLISHED 151
RANCE DRY ELECTRIC 152
ORNE DRY ELECTRIC 153
INES DRY ELECTRIC BRUSHED BRASS & GUN METAL 154
INES DRY ELECTRIC POLISHED & MATT BLACK 155
MAIA VERTICAL 156
MAIA HORIZONTAL 157
NIKA VERTICAL 158
NIKA HORIZONTAL 159
SERRE 160
ARON 161
ODET 162
GIA 163
DIVA CHROME FLAT & CURVED ELECTRIC 164-165
DIVA BLACK FLAT ELECTRIC 166
DIVA ANTHRACITE FLAT ELECTRIC 167
DIVA WHITE FLAT ELECTRIC 168
CAPO CHROME FLAT & CURVED ELECTRIC 169
CAPO BLACK FLAT ELECTRIC 170
CAPO ANTHRACITE FLAT ELECTRIC 171
CAPO WHITE FLAT ELECTRIC 172

VALVES & ACCESSORIES 173-178

VALVES 173-178
PIPE KIT 178

ELEMENTS 179-181

ELEMENTS 179
ON/OFF TOUCH ELEMENT 180
WEEKLY THERMOSTATIC CONTROL 180
MINI ROUND THERMOSTATIC CONTROL UNIT 180
LOW TEMPERATURE ELEMENTS 181
TOUCH THERMOSTATIC HEATING ELEMENT 181
SQUARE THERMOSTATIC WIFI ELEMENT 181
STANDARD HEATING ELEMENT 181
WIRELESS PROGRAMMABLE THERMOSTAT 181

RAL COLOURS CHART 182

SPECIAL RAL COLOURS CHART 183

TERMS & CONDITIONS 183-187

REINA
DESIGNER RADIATOR

REINA
DESIGNER RADIATOR

WELCOME TO OUR BROCHURE

Welcome to REINA - the UK's foremost supplier of designer radiators and heated towel rails.

Since our establishment in 2005, REINA has consistently set the standard in the heating industry. Still a privately owned, British company, we pride ourselves on designing and creating a more extensive and innovative product range than any other company in the market. We don't just follow trends; we lead them, seamlessly blending cutting-edge styles with unparalleled functionality.

We recognise that every home has a unique vision. That's why the REINA collection has been meticulously curated to complement every interior design aesthetic. From timeless, classic styles to the very latest in energy-efficient designs, our radiators have become one of the most highly sought-after products across the UK.

For years, our sole focus has been to ensure you can create the perfect home environment through exceptional heating solutions. We are driven by a deep understanding of how REINA products can transform interiors, keeping pace with and defining modern home design trends.

Our core criteria are: Style, Desirability, Uniqueness, Originality, and Innovation.

REINA injects excitement and design excellence into the world of home heating. As we continue to remain at the absolute forefront of designer radiators and towel rails, we are confident that the comprehensive REINA range encompasses the perfect design solution for your needs.

Join us and experience why REINA is the true industry leader in designer heating.

Why Choose A Mild Steel Radiator?

The ultimate all-round radiator: Mild steel radiators deliver the perfect balance of performance, design, and durability, making them the most popular and versatile choice across UK homes.

Outstanding heat retention: Mild steel radiators hold heat for longer, keeping your home warm and comfortable even after the heating is switched off — helping reduce energy consumption and costs.

Consistent, powerful heat output: Renowned for their steady and reliable warmth, mild steel radiators provide strong heat performance for every room size, from compact bathrooms to large open-plan living areas.

Premium build quality: Manufactured from high-grade mild steel, these radiators are built to last for years while maintaining their elegant appearance.

Perfect for all heating systems: Fully compatible with central heating, electric, and dual fuel systems, and perform exceptionally well with modern boilers and low-temperature systems like air and ground source heat pumps.

Eco-friendly and sustainable: Mild steel is one of the most widely recycled materials in the world, making it a sustainable choice that supports environmentally conscious heating solutions.

Energy-efficient heating: Engineered to deliver maximum output from every drop of hot water, mild steel radiators are ideal for those seeking comfort without compromise.

Exceptional value for money: Offering an unbeatable combination of affordability, strength, and heat performance, mild steel radiators are a smart long-term investment for any property.

Trusted by professionals: With one of the broadest and most trusted ranges in the UK, our mild steel portfolio represents the best choice for homeowners, architects, and installers alike.



HEDINGHAM VERTICAL

Image shown 1800 x 465 Black

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	285	285	95	160	C	6312	1851	£319.00
1800	375	375	95	160	C	8418	2469	£409.00
1800	465	465	95	160	C	10521	3085	£476.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



HEDINGHAM HORIZONTAL

Image shown 600 x 1265 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
600	600	600	95	160	C/E/D	4274	1253	£269.00
600	820	820	95	160	C/E/D	5918	1735	£339.00
600	1000	1000	95	160	C/E/D	7229	2120	£420.00
600	1175	1175	95	160	C/E/D	8548	2507	£472.00
600	1265	1265	95	160	C/E/D	9206	2700	£522.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



RAL & SPECIAL COLOURS P. 182-183

white

Optional insertable feet
Available for all column radiators

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly

COLONA 2 COLUMN VERTICAL WHITE

Image shown 3 column 1800 x 380 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
1500	200	200	66	98	C	1834	538	£155.49	£244.00
1500	290	290	66	98	C	2748	806	£221.89	£351.00
1500	380	380	66	98	C	3670	1076	£293.63	£463.00
1800	200	200	66	98	C	2165	635	£160.80	£268.00
1800	290	290	66	98	C	3245	952	£227.21	£382.00
1800	380	380	66	98	C	4330	1270	£298.94	£502.00

COLONA 3 COLUMN VERTICAL WHITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
1500	200	200	68	118	C	2476	726	£166.11	£268.00
1500	290	290	68	118	C	3714	1089	£240.50	£382.00
1500	380	380	68	118	C	4952	1452	£317.53	£504.00
1800	200	200	68	118	C	2944	863	£171.43	£289.00
1800	290	290	68	118	C	4416	1295	£245.81	£416.00
1800	380	380	68	118	C	5889	1727	£322.84	£564.00


COLONA FEET (Feet height 160MM from the floor to base of radiator)	£46.00	£105.00

RAL COLOURS CHART

REINA now offer 53 exciting RAL colour options on dedicated Radiators All finishes are powder coated and are available within 8-15 working days from point of order (subject to stock availability). Once acknowledged bespoke RAL orders cannot be cancelled.



SPECIAL COLOUR CHART



Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



RAL & SPECIAL COLOURS P. 182-183

white

Optional insertable feet
Available for all column radiators

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly

COLONA 2 COLUMN HORIZONTAL WHITE

Image shown 3 column 600 x 1010 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
500	605	605	66	98	C/E/D	2082	611	£203.32	£350.00
500	785	785	66	98	C/E/D	2723	799	£259.09	£442.00
500	1010	1010	66	98	C/E/D	3525	1034	£329.49	£557.00
500	1190	1190	66	98	C/E/D	4165	1221	£385.27	£650.00
600	605	605	66	98	C/E/D	2477	726	£209.94	£357.00
600	785	785	66	98	C/E/D	3239	950	£268.38	£452.00
600	1010	1010	66	98	C/E/D	4190	1229	£341.44	£570.00
600	1190	1190	66	98	C/E/D	4953	1452	£399.89	£665.00

COLONA 3 COLUMN HORIZONTAL WHITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
300	1010	1010	68	118	C/E/D	2953	866	£298.94	£418.00
300	1190	1190	68	118	C/E/D	3489	1023	£349.41	£465.00
300	1370	1370	68	118	C/E/D	4026	1181	£399.89	£534.00
500	605	605	68	118	C/E/D	2870	842	£213.93	£342.00
500	785	785	68	118	C/E/D	3753	1101	£275.02	£402.00
500	1010	1010	68	118	C/E/D	4856	1424	£352.07	£516.00
500	1190	1190	68	118	C/E/D	5742	1684	£407.85	£602.00
500	1370	1370	68	118	C	6624	1943	£468.95	£695.00
600	605	605	68	118	C/E/D	3390	994	£223.23	£342.00
600	785	785	68	118	C/E/D	4416	1295	£285.65	£439.00
600	1010	1010	68	118	C/E/D	5715	1676	£365.35	£562.00
600	1190	1190	68	118	C/E/D	6755	1981	£426.45	£658.00
600	1370	1370	68	118	C	7793	2285	£487.54	£754.00

COLONA 4 COLUMN HORIZONTAL WHITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
300	1010	1010	94	163	C/E/D	3811	1118	£421.14	£623.00
300	1190	1190	94	163	C/E/D	4502	1320	£495.52	£729.00
300	1370	1370	94	163	C/E/D	5196	1524	£567.24	£833.00
500	605	605	94	163	C/E/D	3658	1073	£272.37	£403.00
500	785	785	94	163	C/E/D	4784	1403	£349.41	£512.00
500	1010	1010	94	163	C/E/D	6191	1816	£442.39	£645.00
500	1190	1190	94	163	C	7317	2146	£519.42	£754.00
500	1370	1370	94	163	C	8443	2476	£596.47	£863.00
600	605	605	94	163	C/E/D	4334	1271	£280.34	£411.00
600	785	785	94	163	C/E/D	5668	1662	£360.03	£523.00
600	1010	1010	94	163	C/E/D	7335	2151	£463.64	£666.00
600	1190	1190	94	163	C	8668	2542	£540.67	£775.00
600	1370	1370	94	163	C	10001	2933	£623.03	£890.00
COLONA FEET (Feet height 160MM from the floor to base of radiator)								£46.00	£105.00



COLONA 2 COLUMN VERTICAL ANTHRACITE

Image shown 3 Column 1800 x 380 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
1800	200	200	66	98	C	2165	635	£160.80
1800	290	290	66	98	C	3245	952	£227.21
1800	380	380	66	98	C	4330	1270	£298.94

COLONA 3 COLUMN VERTICAL ANTHRACITE

1800	200	200	68	118	C	2944	863	£171.43
1800	290	290	68	118	C	4416	1295	£245.81
1800	380	380	68	118	C	5889	1727	£322.84
COLONA FEET (Feet height 160MM from the floor to base of radiator)							£46.00	

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



COLONA 2 COLUMN HORIZONTAL ANTHRACITE

Image shown 3 Column 600 x 1010 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
500	605	605	66	98	C/E/D	2082	611	£203.32
500	785	785	66	98	C/E/D	2723	799	£259.09
500	1010	1010	66	98	C/E/D	3525	1034	£329.49
500	1190	1190	66	98	C/E/D	4165	1221	£385.27
600	605	605	66	98	C/E/D	2477	726	£209.94
600	785	785	66	98	C/E/D	3239	950	£268.38
600	1010	1010	66	98	C/E/D	4190	1229	£341.44
600	1190	1190	66	98	C/E/D	4953	1452	£399.89

COLONA 3 COLUMN HORIZONTAL ANTHRACITE

500	605	605	68	118	C/E/D	2870	842	£213.93
500	785	785	68	118	C/E/D	3753	1101	£275.02
500	1010	1010	68	118	C/E/D	4856	1424	£352.07
500	1190	1190	68	118	C/E/D	5742	1684	£407.85
600	605	605	68	118	C/E/D	3390	994	£223.23
600	785	785	68	118	C/E/D	4416	1295	£285.65
600	1010	1010	68	118	C/E/D	5715	1676	£365.35
600	1190	1190	68	118	C/E/D	6755	1981	£426.45
COLONA FEET (Feet height 160MM from the floor to base of radiator)							£46.00	

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



Image shown 3 column 1800 x 380

COLONA 2 COLUMN VERTICAL LAQUER (RAW MATERIAL STEEL)

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
1800	290	290	60	95	C	3245	952	£348.00
1800	380	380	60	95	C	4330	1270	£430.00

COLONA 3 COLUMN VERTICAL LAQUER (RAW MATERIAL STEEL)

1800	290	290	70	120	C	4416	1295	£420.00
1800	380	380	70	120	C	5889	1727	£510.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EUROPEAN NORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



Optional insertable feet
Available for all column radiators

Image shown 3 column 1010 x 600

COLONA 2 COLUMN HORIZONTAL LAQUER (RAW MATERIAL STEEL)

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
600	605	605	60	95	C/E/D	2477	726	£310.00
600	785	785	60	95	C/E/D	3239	950	£384.00
600	1010	1010	60	95	C/E/D	4190	1229	£498.00
600	1190	1190	60	95	C/E/D	4953	1452	£566.00

COLONA 3 COLUMN HORIZONTAL LAQUER (RAW MATERIAL STEEL)

600	605	605	70	120	C/E/D	3390	994	£390.00
600	785	785	70	120	C/E/D	4416	1295	£484.00
600	1010	1010	70	120	C/E/D	5715	1676	£590.00
600	1190	1190	70	120	C/E/D	6755	1981	£680.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



Image shown 1800 x 440 Double White

FLAT VERTICAL SINGLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
1600	218	218	39	68	C	1732	508	£134.00	£259.00
1600	292	292	39	68	C	2310	677	£164.00	£312.00
1600	366	366	39	68	C	2887	847	£194.00	£380.00
1600	440	440	39	68	C	3464	1016	£224.00	£452.00
1600	514	514	39	68	C	4041	1185	£254.00	£489.00
1800	218	218	39	68	C	1949	572	£149.00	£279.00
1800	292	292	39	68	C	2599	762	£179.00	£338.00
1800	366	366	39	68	C	3248	952	£209.00	£416.00
1800	440	440	39	68	C	3898	1143	£239.00	£492.00
1800	514	514	39	68	C	4548	1334	£269.00	£567.00

FLAT VERTICAL DOUBLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
1600	218	218	64	93	C	2200	645	£198.00	£402.00
1600	292	292	64	93	C	2933	860	£248.00	£476.00
1600	366	366	64	93	C	3696	1084	£298.00	£554.00
1600	440	440	64	93	C	4516	1324	£338.00	£645.00
1600	514	514	64	93	C	5173	1517	£398.00	£725.00
1800	218	218	64	93	C	2534	743	£224.00	£416.00
1800	292	292	64	93	C	3380	991	£284.00	£514.00
1800	366	366	64	93	C	4255	1248	£324.00	£590.00
1800	440	440	64	93	C	5107	1498	£384.00	£685.00
1800	514	514	64	93	C	5957	1747	£424.00	£795.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



Image shown 600 x 1032 Double White

FLAT HORIZONTAL SINGLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
600	440	440	39	68	C/E/D	1361	399	£124.00	£280.00
600	588	588	39	68	C/E/D	1815	532	£154.00	£323.00
600	810	810	39	68	C/E/D	2495	732	£208.00	£404.00
600	1032	1032	39	68	C/E/D	3175	931	£262.00	£490.00
600	1254	1254	39	68	C/E/D	3856	1131	£298.00	£570.00
600	1402	1402	39	68	C/E/D	4309	1264	£324.00	£624.00

FLAT HORIZONTAL DOUBLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
600	440	440	64	93	C/E/D	1973	579	£164.00	£335.00
600	588	588	64	93	C/E/D	2631	772	£204.00	£420.00
600	810	810	64	93	C/E/D	3617	1061	£264.00	£540.00
600	1032	1032	64	93	C/E/D	4604	1350	£334.00	£670.00
600	1254	1254	64	93	C/E/D	5592	1640	£394.00	£775.00
600	1402	1402	64	93	C/E/D	6413	1881	£444.00	£860.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



Can be used horizontal (brackets sold separately)
Horizontal brackets £40.00
Please request vertical to horizontal brackets at point of order.

RAL & SPECIAL COLOURS P. 182-183

white

anthracite

NEVA VERTICAL SINGLE

Image shown 1800 x 531 Single Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
1500	236	236	65	103	C	1857	545	£140.00	£234.00
1500	295	295	65	103	C	2308	677	£155.00	£282.00
1500	354	354	65	103	C	2770	812	£174.00	£330.00
1500	413	413	65	103	C	3233	948	£200.00	£382.00
1500	472	472	65	103	C	3695	1084	£220.00	£433.00
1500	531	531	65	103	C	4156	1219	£247.00	£480.00
1800	236	236	65	103	C	2227	653	£150.00	£268.00
1800	295	295	65	103	C	2770	812	£172.00	£328.00
1800	354	354	65	103	C	3324	975	£198.00	£385.00
1800	413	413	65	103	C	3879	1138	£225.00	£442.00
1800	472	472	65	103	C	4433	1300	£253.00	£502.00
1800	531	531	65	103	C	5643	1655	£284.00	£595.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



Can be used horizontal (brackets sold separately)
Horizontal brackets £40.00
Please request vertical to horizontal brackets at point of order.

RAL & SPECIAL COLOURS P. 182-183

white

anthracite

NEVA VERTICAL DOUBLE

Image shown 1800 x 531 Double White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
1500	236	236	65	103	C	2803	822	£215.00	£348.00
1500	295	295	65	103	C	3485	1022	£254.00	£420.00
1500	354	354	65	103	C	4183	1227	£280.00	£485.00
1500	413	413	65	103	C	4882	1432	£306.00	£570.00
1500	472	472	65	103	C	5580	1636	£336.00	£624.00
1500	531	531	65	103	C	6275	1840	£370.00	£690.00
1800	236	236	65	103	C	3363	986	£234.00	£395.00
1800	295	295	65	103	C	4183	1227	£280.00	£498.00
1800	354	354	65	103	C	5019	1472	£324.00	£574.00
1800	413	413	65	103	C	5857	1718	£360.00	£650.00
1800	472	472	65	103	C	6694	1963	£410.00	£730.00
1800	531	531	65	103	C	7530	2208	£450.00	£806.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EUROHORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



NEVA HORIZONTAL SINGLE

Image shown 550 x 1180 Single White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
550	413	413	65	103	C/E/D	1186	348	£122.00	£254.00
550	590	590	65	103	C/E/D	1693	496	£150.00	£300.00
550	826	826	65	103	C/E/D	2383	699	£196.00	£366.00
550	1003	1003	65	103	C/E/D	2879	844	£230.00	£441.00
550	1180	1180	65	103	C/E/D	3386	993	£264.00	£512.00
550	1416	1416	65	103	C/E/D	4063	1191	£340.00	£595.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



NEVA HORIZONTAL DOUBLE

Image shown 550 x 1180 Double Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
550	413	413	65	103	C/E/D	1898	557	£165.00	£290.00
550	590	590	65	103	C/E/D	2710	795	£215.00	£390.00
550	826	826	65	103	C/E/D	3812	1118	£320.00	£534.00
550	1003	1003	65	103	C/E/D	4606	1351	£360.00	£640.00
550	1180	1180	65	103	C/E/D	5418	1589	£415.00	£720.00
550	1416	1416	65	103	C/E/D	6501	1906	£484.00	£910.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



CONEVA VERTICAL

Image shown 1800 x 440 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
1500	300	300	68	113	C	4124	1209	£222.00	£355.00
1500	370	370	68	113	C	5155	1512	£278.00	£441.00
1500	440	440	68	113	C	6186	1814	£323.00	£519.00
1500	510	510	68	113	C	7216	2116	£374.00	£599.00
1800	300	300	68	113	C	4948	1451	£258.00	£419.00
1800	370	370	68	113	C	6186	1814	£323.00	£520.00
1800	440	440	68	113	C	7422	2177	£356.00	£610.00
1800	510	510	68	113	C	8659	2539	£436.00	£699.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



RAL & SPECIAL COLOURS P. 182-183

white

anthracite

CONEVA HORIZONTAL

Image shown 550 x 790 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
550	440	440	68	113	C/E/D	2650	777	£156.00	£303.00
550	580	580	68	113	C/E/D	3534	1036	£196.00	£378.00
550	790	790	68	113	C/E/D	4859	1425	£288.00	£489.00
550	1000	1000	68	113	C/E/D	6186	1814	£346.00	£615.00
550	1210	1210	68	113	C/E/D	7511	2203	£410.00	£729.00
550	1420	1420	68	113	C/E/D	8837	2591	£470.00	£900.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



RAL & SPECIAL COLOURS P. 182-183

white

RIONE SINGLE

Image shown 550 x 1200 Single

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
544	400	355	67-77	96-106	C/E/D	1138	334	£156.00	£299.00
544	600	555	67-77	96-106	C/E/D	1707	501	£186.00	£315.00
544	800	755	67-77	96-106	C/E/D	2276	667	£202.00	£345.00
544	1000	955	67-77	96-106	C/E/D	2845	834	£218.00	£399.00
544	1200	1155	67-77	96-106	C/E/D	3416	1002	£250.00	£464.00
544	1400	1355	67-77	96-106	C/E/D	3984	1168	£290.00	£528.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



RIONE DOUBLE

Image shown 550 x 1000 Double

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
544	400	355	68	97	C/E/D	1730	507	£246.00	£384.00
544	600	555	68	97	C/E/D	2595	761	£295.00	£432.00
544	800	755	68	97	C/E/D	3460	1015	£312.00	£479.00
544	1000	955	68	97	C/E/D	4325	1268	£328.00	£505.00
544	1200	1155	68	97	C	5192	1523	£377.00	£589.00
544	1400	1355	68	97	C	6057	1776	£460.00	£708.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



REFLECT

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT WHITE-BLACK
						Btu	Watts	
1800	445	445	60	90	C	3738	1096	£299.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



NEVAH

Image shown 590 x 1000 Double White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR EX.VAT
295	1000	955	67-82	107-122	C	1469	431	£128.00	£225.00
295	1200	1155	67-82	107-122	C	1730	507	£138.00	£242.00
295	1400	1355	67-82	107-122	C	2001	587	£147.00	£269.00
590	600	555	67-82	107-122	C/E/D	2114	620	£170.00	£304.00
590	800	755	67-82	107-122	C/E/D	2489	730	£186.00	£348.00
590	1000	955	67-82	107-122	C/E/D	2933	860	£198.00	£388.00
590	1200	1155	67-82	107-122	C/E/D	3456	1013	£232.00	£440.00
590	1400	1355	67-82	107-122	C/E/D	4033	1183	£250.00	£494.00

SINGLE

295	1000	955	63	103	C	2292	672	£174.00	£310.00
295	1200	1155	63	103	C	2698	791	£184.00	£340.00
295	1400	1355	63	103	C	3120	915	£196.00	£375.00
590	600	555	63	103	C/E/D	3298	967	£266.00	£440.00
590	800	755	63	103	C/E/D	3883	1139	£294.00	£490.00
590	1000	955	63	103	C/E/D	4576	1342	£310.00	£550.00
590	1200	1155	63	103	C	5391	1581	£330.00	£635.00
590	1400	1355	63	103	C	6290	1845	£370.00	£775.00

DOUBLE

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



BONERA VERTICAL

Image shown 1800 x 456 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	324	324	65	100	C	3212	942	£275.00
1800	456	456	65	100	C	4469	1311	£360.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



BORDA

Image shown 1800 x 640 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
1800	440	50	50	70	C	2336	685	£280.00
1800	540	50	50	70	C	2918	856	£320.00
1800	640	50	50	70	C	3525	1034	£350.00
TOWEL BAR IS AVAILABLE IN WHITE AND ANTHRACITE. (individual price)								£55.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



Optional Extra : Height adjustable towel bar in chrome finish sold separately

white texture

anthracite texture

SLIMLINE VERTICAL

Image shown 1770 x 500 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
470	300	50	30-55	62-87	C	801	235	£220.00
770	300	50	30-55	62-87	C	1316	386	£250.00
1170	300	50	30-55	62-87	C	2001	587	£280.00
1170	400	50	30-55	62-87	C	2667	782	£330.00
1170	500	50	30-55	62-87	C	3333	977	£360.00
1470	300	50	30-55	62-87	C	2516	738	£330.00
1470	400	50	30-55	62-87	C	3352	983	£376.00
1470	500	50	30-55	62-87	C	4191	1229	£450.00
1770	300	50	30-55	62-87	C	3028	888	£394.00
1770	400	50	30-55	62-87	C	4035	1183	£440.00
1770	500	50	30-55	62-87	C	5044	1479	£510.00
SLIMLINE CHROME 300/400/500 TOWEL BAR								£56.30

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



SLIMLINE HORIZONTAL

Image shown 600 x 1000 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
600	400	400	30-55	62-87	C	1367	401	£240.00
600	600	600	30-55	62-87	C	2054	602	£280.00
600	800	800	30-55	62-87	C	2735	802	£330.00
600	1000	1000	30-55	62-87	C	3422	1004	£378.00
600	1200	1200	30-55	62-87	C	4102	1203	£450.00
600	1400	1400	30-55	62-87	C	4789	1404	£486.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EUROHORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



DIMARO CHROME

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1760	620	620	61-76	99-114	C	3648	1070	£560.00

DIMARO WHITE & ANTHRACITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1760	620	620	61-76	99-114	C	5398	1583	£430.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



COREDO CHROME

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
1760	620	620	67-82	97-112	C	3757	1102	£695.00

COREDO WHITE & ANTHRACITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
1760	620	620	67-82	97-112	C	5561	1631	£495.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



GRANDE CHROME

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
1800	500	500	67-82	177-192	C	3500	1026	£730.00

GRANDE ANTHRACITE & WHITE

1800	500	500	67-82	177-192	C	5313	1558	£530.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



ALETTA CHROME

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	500	500	66-81	167-183	C	2746	805	£590.00

ALETTA ANTRACITE & WHITE

1800	500	500	66-81	167-183	C	4208	1234	£465.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



FIORE

Image shown 1790 x 400 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1790	400	400	35-55	68-88	C	3136	920	£695.00
1790	490	490	35-55	68-88	C	3985	1169	£740.00
1790	590	590	35-55	68-88	C	4796	1406	£818.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



LINE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	490	490	35-55	68-88	C	4269	1252	£728.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



ANCORA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	490	490	35-55	68-88	C	4054	1189	£728.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EUROPEAN NORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



TODI BLACK

Image shown 1200 x 260 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
800	108	78	65-80	100-115	C/E/D	718	211	£170.00
1200	108	78	65-80	100-115	C/E/D	848	249	£206.00
800	260	230	65-80	100-115	C/E/D	1139	334	£240.00
1200	260	230	65-80	100-115	C/E/D	1757	515	£298.00
800	415	385	65-80	100-115	C/E/D	1697	498	£296.00
1200	415	385	65-80	100-115	C/E/D	2516	738	£370.00

TODI CHROME

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 70° Btu	Heat Outputs ΔT 70° Watts	RRP PRICES EX.VAT
800	108	78	65-80	100-115	C/E/D	459	135	£213.00
1200	108	78	65-80	100-115	C/E/D	541	159	£230.00
800	260	230	65-80	100-115	C/E/D	736	216	£324.00
1200	260	230	65-80	100-115	C/E/D	1125	330	£343.00
800	415	385	65-80	100-115	C/E/D	1100	323	£360.00
1200	415	385	65-80	100-115	C/E/D	1624	476	£440.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



GRACE BRUSHED BRASS

Image shown 1140 x 500 Brushed Brass

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
780	500	100	69.5-79.5	112-122	C/E/D	992	291	£308.00
1140	500	100	69.5-79.5	112-122	C/E/D	1402	411	£399.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



RAL & SPECIAL COLOURS P. 182-183

white

chrome

anthracite

brushed brass

gun metal

Can be mounted left or right hand side

GRACE GUN METAL

Image shown 1140 x 500 Gun Metal

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
780	500	100	69.5-79.5	112-122	C/E/D	992	291	£308.00
1140	500	100	69.5-79.5	112-122	C/E/D	1402	411	£399.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EUROHORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



GRACE CHROME

Image shown 1140 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT CHROME
780	500	100	61-76	102-117	C/E/D	992	291	£250.00
1140	500	100	61-76	102-117	C/E/D	1402	411	£316.00

GRACE ANTHRACITE & WHITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT ANTHRACITE & WHITE	RAL COLOUR PRICES EX.VAT
780	500	100	61-76	102-117	C/E/D	1439	422	£144.00	£279.00
1140	500	100	61-76	102-117	C/E/D	2033	596	£194.00	£379.00

Material Steel


5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



CHISA BRUSHED BRASS

Image shown 1130 x 500 Brushed Brass

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
820	500	100	69.5-79.5	112-122	C/E/D	1163	341	£340.00
1130	500	100	69.5-79.5	112-122	C/E/D	1657	486	£430.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



RAL & SPECIAL COLOURS P. 182-183

white

chrome

anthracite

brushed brass

gun metal

Can be mounted left or right hand side

CHISA GUN METAL

Image shown 1130 x 500 Gun Metal

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
820	500	100	69.5-79.5	112-122	C/E/D	1163	341	£340.00
1130	500	100	69.5-79.5	112-122	C/E/D	1657	486	£430.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



CHISA CHROME

Image shown 1130 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
820	500	100	61-76	102-117	C/E/D	1163	341	£275.00
1130	500	100	61-76	102-117	C/E/D	1657	486	£345.00

CHISA WHITE & ANTHRACITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
820	500	100	61-76	102-117	C/E/D	1662	487	£175.00	£318.00
1130	500	100	61-76	102-117	C/E/D	2402	704	£235.00	£426.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



MATERA BRUSHED BRASS & GUN METAL

Image shown 1412 x 500 Brushed Brass

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX. VAT
						Btu	Watts	
722	500	100	68-78	116-126	C/E/D	1023	300	£240.00
998	500	100	68-78	116-126	C/E/D	1380	405	£290.00
1412	500	100	68-78	116-126	C/E/D	1916	562	£390.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly





MATERA CHROME

Image shown 998 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX. VAT
722	500	100	61-76	110-125	C/E/D	1023	300	£195.00
998	500	100	61-76	110-125	C/E/D	1380	405	£235.00
1412	500	100	61-76	110-125	C/E/D	1916	562	£295.00

MATERA BLACK

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX. VAT
722	500	100	68-78	116-126	C/E/D	1381	405	£136.00
998	500	100	68-78	116-126	C/E/D	1863	546	£159.00
1412	500	100	68-78	116-126	C/E/D	2586	758	£198.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



PANARO

Image shown 1100 x 500 Brushed Brass

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
500	500	80	63.5-73.5	147.5-157.5	C/E/D	861	252	£270.00
800	500	80	63.5-73.5	147.5-157.5	C/E/D	1434	421	£370.00
1100	500	80	63.5-73.5	147.5-157.5	C/E/D	2008	589	£470.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



FLORINA BRUSHED BRASS

Image shown 1525 x 500 Brushed Brass

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	100	67-77	97-107	C/E/D	1251	367	£320.00
1235	500	100	67-77	97-107	C/E/D	1898	557	£420.00
1525	500	100	67-77	97-107	C/E/D	2472	725	£530.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



FLORINA GUN METAL

Image shown 1525 x 500 Gun Metal

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	100	67-77	97-107	C/E/D	1251	367	£320.00
1235	500	100	67-77	97-107	C/E/D	1898	557	£420.00
1525	500	100	67-77	97-107	C/E/D	2472	725	£530.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



FLORINA CHROME

Image shown 1235 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	100	68-83	88-103	C/E/D	1251	367	£240.00
1235	500	100	68-83	88-103	C/E/D	1898	557	£310.00
1525	500	100	68-83	88-103	C/E/D	2472	725	£390.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



FLORA BRUSHED BRASS

Image shown 1500 x 500 Brushed Brass

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	465	63.5	151	C/E/D	1142	335	£270.00
1200	500	465	63.5	151	C/E/D	1713	502	£380.00
1500	500	465	63.5	151	C/E/D	2093	614	£450.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



FLORA GUN METAL

Image shown 1500 x 500 Gun Metal

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	465	63.5	151	C/E/D	1142	335	£270.00
1200	500	465	63.5	151	C/E/D	1713	502	£380.00
1500	500	465	63.5	151	C/E/D	2093	614	£450.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



PETTINO

Image shown 1424 x 550 Black

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
823	550	50	55-65	82-92	C/E/D	1736	509	£170.00
1124	550	50	55-65	82-92	C/E/D	2348	689	£220.00
1424	550	50	55-65	82-92	C/E/D	2934	860	£280.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



white

anthracite

black

AVOLA

Image shown 1424 x 500 Black

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
823	500	455	55-65	82-92	C/E/D	1736	509	£180.00
1124	500	455	55-65	82-92	C/E/D	2348	689	£220.00
1424	500	455	55-65	82-92	C/E/D	2934	860	£260.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



PIETRA CHROME

Image shown 1100 x 530 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
530	530	100	73-87	108-122	C/E/D	811	238	£306.00
720	530	100	73-87	108-122	C/E/D	1135	333	£380.00
1100	530	100	73-87	108-122	C/E/D	1867	548	£498.00

PIETRA ANTHRACITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
530	530	100	73-87	108-122	C/E/D	1260	370	£274.00
720	530	100	73-87	108-122	C/E/D	1732	508	£324.00
1100	530	100	73-87	108-122	C/E/D	2896	849	£430.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



SESIA

Image shown 1500 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
860	500	100	65-80	85-100	C/E/D	1589	466	£270.00
1180	500	100	65-80	85-100	C/E/D	2081	610	£330.00
1500	500	100	65-80	85-100	C/E/D	2726	799	£420.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



SORI CHROME

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
650	500	500	67-82	177-192	C/E/D	1532	449	£420.00

SORI ANTHRACITE & WHITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
650	500	500	67-82	177-192	C/E/D	2366	694	£330.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



GLORA CHROME

Image shown 500 x 1195 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
555	500	470	67-82	162-177	C/E/D	693	203	£260.00
875	500	470	67-82	162-177	C/E/D	1182	347	£330.00
1195	500	470	67-82	162-177	C/E/D	1484	435	£415.00

GLORA ANTHRACITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 70° Btu	Heat Outputs ΔT 70° Watts	RRP PRICES EX.VAT
555	500	470	67-82	162-177	C/E/D	1089	319	£235.00
875	500	470	67-82	162-177	C/E/D	1827	536	£294.00
1195	500	470	67-82	162-177	C/E/D	2290	672	£356.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



REZZO BLACK

Image shown 1460 x 550 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60° Btu	Heat Outputs ΔT 60° Watts	RRP PRICES EX.VAT
740	450	420	65-80	80-95	C/E/D	1055	309	£174.00
1100	450	420	65-80	80-95	C/E/D	1489	437	£202.00
1460	450	420	65-80	80-95	C/E/D	1934	567	£240.00
740	550	520	65-80	80-95	C/E/D	1140	334	£180.00
1100	550	520	65-80	80-95	C/E/D	1607	471	£224.00
1460	550	520	65-80	80-95	C/E/D	2089	613	£270.00

REZZO CHROME

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
740	450	420	65-80	80-95	C/E/D	738	216	£206.00
1100	450	420	65-80	80-95	C/E/D	1041	305	£245.50
1460	450	420	65-80	80-95	C/E/D	1353	397	£294.00
740	550	520	65-80	80-95	C/E/D	786	230	£212.50
1100	550	520	65-80	80-95	C/E/D	1108	325	£256.50
1460	550	520	65-80	80-95	C/E/D	1441	423	£305.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



NARDO

Image shown 1200 x 550 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
813	450	418	61-76	77-92	C/E/D	786	230	£294.00
1200	450	418	61-76	77-92	C/E/D	1082	317	£349.00
813	550	518	61-76	77-92	C/E/D	885	260	£317.00
1200	550	518	61-76	77-92	C/E/D	1210	355	£388.50

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



ELVINA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
350	500	470	67-82	302-317	C	744	218	£306.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



ELVINA 2

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1000	500	470	67-82	302-317	C/E/D	1103	323	£460.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



Note: LAGO 1 single bar. LAGO 2 double bar

LAGO 1 CHROME

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
450	600	420	65-80	105-120	C/E/D	652	191	£190.50

LAGO 1 BLACK

450	600	420	65-80	105-120	C/E/D	912	267	£160.00

LAGO 2 CHROME

450	600	420	65-80	105-120	C/E/D	818	240	£204.80

LAGO 2 BLACK

450	600	420	65-80	105-120	C/E/D	1145	336	£176.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



chrome

BRENO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
350	700	50	60-70	70-80	C	657	193	£280.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



TEANO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1300	600	100	64-79	168-183	C/E/D	2368	694	£484.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



NOLA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1400	600	110	64-79	136-151	C/E/D	2590	760	£458.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



KALE

Image shown 1436 x 500 Black

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
816	500	450	55-65	100-110	C/E/D	2205	647	£184.00
1126	500	450	55-65	100-110	C/E/D	3010	883	£208.00
1436	500	450	55-65	100-110	C/E/D	3608	1058	£280.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



VASTO

Image shown 1460 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
755	500	470	65-80	80-95	C/E/D	1198	351	£189.00
1130	500	470	65-80	80-95	C/E/D	1798	527	£249.00
1460	500	470	65-80	80-95	C/E/D	2364	693	£299.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



SERPE CHROME

Image shown 510 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
270	500	500	65-80	80-95	C	465	136	£240.00
510	500	500	65-80	80-95	C	795	233	£334.00
750	500	500	65-80	80-95	C	943	277	£384.00

SERPE ANTHRACITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
270	500	500	65-80	80-95	C	688	202	£195.00
510	500	500	65-80	80-95	C	1184	347	£251.00
750	500	500	65-80	80-95	C	1459	428	£310.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



chrome

Can be mounted left or right hand side

ELISA

Image shown 1550 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX. VAT
						Btu	Watts	
1000	500	100	62-82	100-120	C/E/D	1860	545	£250.00
1550	500	100	62-82	100-120	C/E/D	2853	837	£390.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



ARBORI CHROME

Image shown 1510 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
820	500	450	61-76	102-117	C/E/D	1229	360	£250.00
1130	500	450	61-76	102-117	C/E/D	1657	486	£302.00
1510	500	450	61-76	102-117	C/E/D	2203	646	£380.00

ARBORI WHITE AND ANTHRACITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
820	500	450	61-76	102-117	C/E/D	1781	522	£152.00	£294.00
1130	500	450	61-76	102-117	C/E/D	2402	704	£196.00	£360.00
1510	500	450	61-76	102-117	C/E/D	3195	937	£251.00	£463.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



CLARO

Image shown 1200 x 300 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
900	300	100	41	310	C/E/D	1268	372	£274.00
1200	300	100	41	310	C/E/D	1753	514	£338.00
1600	300	100	41	310	C/E/D	2285	670	£414.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



SERENA BRUSHED BRASS & GUN METAL

Image shown 1200 x 500 Brushed Brass

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
500	500	470	67-77	82-92	C/E/D	629	184	£200.00
800	500	470	67-77	82-92	C/E/D	998	293	£250.00
1200	500	470	67-77	82-92	C/E/D	1498	439	£330.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



SERENA CHROME

Image shown 1200 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	300	270	65-80	80-95	C/E/D	598	175	£162.00
1200	300	270	65-80	80-95	C/E/D	899	264	£198.00
500	500	470	65-80	80-95	C/E/D	629	184	£144.00
800	500	470	65-80	80-95	C/E/D	998	293	£182.00
1200	500	470	65-80	80-95	C/E/D	1498	439	£237.00

SERENA ANTHRACITE & BLACK

800	300	270	65-80	80-95	C/E/D	849	249	£120.00
1200	300	270	65-80	80-95	C/E/D	1277	374	£156.00
500	500	470	65-80	80-95	C/E/D	887	260	£110.00
800	500	470	65-80	80-95	C/E/D	1418	416	£132.00
1200	500	470	65-80	80-95	C/E/D	2128	624	£168.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



chrome



MARCO

Image shown 1100 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	468	61-76	137-152	C/E/D	1330	390	£220.00
1100	500	468	61-76	137-152	C/E/D	1813	532	£284.00
1400	500	468	61-76	137-152	C/E/D	2199	645	£350.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



ALIANO

Image shown 1000 x 500 Chrome

Overall Height vmm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
500	500	468	61-76	137-152	C/E/D	579	170	£179.50
1000	500	468	61-76	137-152	C/E/D	1158	340	£273.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



CARPI

Image shown 1300 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	300	268	61-76	77-92	C/E/D	939	275	£190.00
1200	300	268	61-76	77-92	C/E/D	1360	399	£230.00
800	400	368	61-76	77-92	C/E/D	1251	367	£210.00
1200	400	368	61-76	77-92	C/E/D	1813	532	£250.00
950	500	468	61-76	77-92	C/E/D	1564	459	£240.00
1300	500	468	61-76	77-92	C/E/D	2387	700	£310.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



TRENTO

Image shown 1300 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
950	500	440	65-80	85-100	C/E/D	1916	562	£249.00
1300	500	440	65-80	85-100	C/E/D	2752	807	£329.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



REGINA

Image shown 1200 x 550 Brushed Brass - Black

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	550	515	63.5-73.5	151-161	C/E/D	3852	1130	£510.00
1200	550	515	63.5-73.5	151-161	C/E/D	4959	1454	£620.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



ASHEN

Image shown 1000 x 490 White - Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
400	490	450	72-87	163-178	C/E/D	1120	328	£380.00
700	490	450	72-87	163-178	C/E/D	1861	546	£458.00
1000	490	450	72-87	163-178	C/E/D	2728	800	£530.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



VICTORIA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
960	675	528	105	230	C/E/D	4469	1311	£414.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



ALICIA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
950	475	330	95	235	C	2812	825	£375.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



OXFORD

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
960	500	373	125	180	C	3365	987	£375.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



CAMDEN

Image shown 505 x 770 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
505	675	675	50	260	C	1989	583	£350.00
505	770	770	50	260	C	2470	724	£375.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly





25mm
TUBES

chrome

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly

DIVA - 25mm TOWEL RAIL

Image shown 1200 x 500 Chrome Curved

CHROME FLAT

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C	
						Btu	Watts
600	300	260	70-85	85-100	C/E/D	557	163
800	300	260	70-85	85-100	C/E/D	672	197
1200	300	260	70-85	85-100	C/E/D	1179	346
1600	300	260	70-85	85-100	C/E/D	1625	477
800	400	360	70-85	85-100	C/E/D	848	249
1000	400	360	70-85	85-100	C/E/D	1236	362
1200	400	360	70-85	85-100	C/E/D	1623	476
1600	400	360	70-85	85-100	C/E/D	2016	591
1800	400	360	70-85	85-100	C	2221	651
800	450	410	70-85	85-100	C/E/D	904	265
1200	450	410	70-85	85-100	C/E/D	1707	501
1800	450	410	70-85	85-100	C	2449	718
800	500	460	70-85	85-100	C/E/D	1015	298
1000	500	460	70-85	85-100	C/E/D	1411	414
1200	500	460	70-85	85-100	C/E/D	1807	530
1400	500	460	70-85	85-100	C/E/D	2040	598
1600	500	460	70-85	85-100	C/E/D	2352	690
1800	500	460	70-85	85-100	C	2713	796
800	600	560	70-85	85-100	C/E/D	1117	328
1000	600	560	70-85	85-100	C/E/D	1525	447
1200	600	560	70-85	85-100	C/E/D	1955	573
1400	600	560	70-85	85-100	C/E/D	2256	662
1600	600	560	70-85	85-100	C/E/D	2558	750
1800	600	560	70-85	85-100	C	2915	855
800	750	710	70-85	85-100	C/E/D	1257	369
1200	750	710	70-85	85-100	C/E/D	2107	618
1800	750	710	70-85	85-100	C	3157	926

CHROME CURVED

800	400	360	70-85	85-100	C/E/D	848	249
1000	400	360	70-85	85-100	C/E/D	1236	362
1200	400	360	70-85	85-100	C/E/D	1623	476
1600	400	360	70-85	85-100	C/E/D	2016	591
1800	400	360	70-85	85-100	C	2221	651
800	450	410	70-85	85-100	C/E/D	904	265
1200	450	410	70-85	85-100	C/E/D	1707	501
1800	450	410	70-85	85-100	C	2449	718
800	500	460	70-85	85-100	C/E/D	1015	298
1000	500	460	70-85	85-100	C/E/D	1411	414
1200	500	460	70-85	85-100	C/E/D	1807	530
1400	500	460	70-85	85-100	C/E/D	2040	598
1600	500	460	70-85	85-100	C/E/D	2352	690
1800	500	460	70-85	85-100	C	2713	796
800	600	560	70-85	85-100	C/E/D	1117	328
1000	600	560	70-85	85-100	C/E/D	1525	447
1200	600	560	70-85	85-100	C/E/D	1955	573
1400	600	560	70-85	85-100	C/E/D	2256	662
1600	600	560	70-85	85-100	C/E/D	2558	750
1800	600	560	70-85	85-100	C	2915	855
800	750	710	70-85	85-100	C/E/D	1257	369
1200	750	710	70-85	85-100	C/E/D	2107	618
1800	750	710	70-85	85-100	C	3157	926

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



DIVA BLACK FLAT

Image shown 1200 x 500 Black

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C	
						Btu	Watts
800	400	360	70-85	85-100	C/E/D	1239	363
1200	400	360	70-85	85-100	C/E/D	2369	695
1800	400	360	70-85	85-100	C	3265	957
800	500	460	70-85	85-100	C/E/D	1487	436
1200	500	460	70-85	85-100	C/E/D	2657	779
1800	500	460	70-85	85-100	C	3961	1162
800	600	560	70-85	85-100	C/E/D	1643	482
1200	600	560	70-85	85-100	C/E/D	2870	842
1800	600	560	70-85	85-100	C	4284	1256

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



anthracite



DIVA ANTHRACITE FLAT

Image shown 1200 x 500 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C	
						Btu	Watts
800	400	360	70-85	85-100	C/E/D	1239	363
1200	400	360	70-85	85-100	C/E/D	2369	695
1800	400	360	70-85	85-100	C	3265	957
800	500	460	70-85	85-100	C/E/D	1487	436
1200	500	460	70-85	85-100	C/E/D	2657	779
1800	500	460	70-85	85-100	C	3961	1162
800	600	560	70-85	85-100	C/E/D	1643	482
1200	600	560	70-85	85-100	C/E/D	2870	842
1800	600	560	70-85	85-100	C	4284	1256

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



DIVA WHITE FLAT

Image shown 1200 x 500 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C	
						Btu	Watts
800	300	260	70-85	85-100	C/E/D	1085	318
1200	300	260	70-85	85-100	C/E/D	1927	565
800	400	360	70-85	85-100	C/E/D	1239	363
1200	400	360	70-85	85-100	C/E/D	2369	695
1800	400	360	70-85	85-100	C	3265	957
800	500	460	70-85	85-100	C/E/D	1487	436
1200	500	460	70-85	85-100	C/E/D	2657	779
1800	500	460	70-85	85-100	C	3961	1162
800	600	560	70-85	85-100	C/E/D	1643	482
1200	600	560	70-85	85-100	C/E/D	2870	842
1800	600	560	70-85	85-100	C	4284	1256

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly





CAPO CHROME FLAT & CURVED OPTIONS

Image shown 1200 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C	
						Btu	Watts
800	400	355	70-85	85-100	C/E/D	749	220
1000	400	355	70-85	85-100	C/E/D	960	282
1200	400	355	70-85	85-100	C/E/D	1075	315
1600	400	355	70-85	85-100	C/E/D	1421	417
1800	400	355	70-85	85-100	C	1502	440
800	500	455	70-85	85-100	C/E/D	886	260
1000	500	455	70-85	85-100	C/E/D	1101	323
1200	500	455	70-85	85-100	C/E/D	1269	372
1600	500	455	70-85	85-100	C/E/D	1675	491
1800	500	455	70-85	85-100	C	1836	538
800	600	555	70-85	85-100	C/E/D	1027	301
1000	600	555	70-85	85-100	C/E/D	1243	365
1200	600	555	70-85	85-100	C/E/D	1471	431
1600	600	555	70-85	85-100	C/E/D	1943	570
1800	600	555	70-85	85-100	C	2982	874

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



CAPO BLACK FLAT

Image shown 1200 x 500 Black

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C	
						Btu	Watts
800	400	355	70-85	85-100	C/E/D	1105	324
800	500	455	70-85	85-100	C/E/D	1311	384
800	600	555	70-85	85-100	C/E/D	1528	448
1000	400	355	70-85	85-100	C/E/D	1420	416
1000	500	455	70-85	85-100	C/E/D	1640	481
1000	600	555	70-85	85-100	C/E/D	1848	542
1200	400	355	70-85	85-100	C/E/D	1598	469
1200	500	455	70-85	85-100	C/E/D	1900	557
1200	600	555	70-85	85-100	C/E/D	2180	639
1600	400	355	70-85	85-100	C/E/D	2117	621
1600	500	455	70-85	85-100	C/E/D	2500	733
1600	600	555	70-85	85-100	C/E/D	2895	849
1800	400	355	70-85	85-100	C	1868	548
1800	500	455	70-85	85-100	C	2770	812
1800	600	555	70-85	85-100	C	3259	956

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



CAPO ANTHRACITE FLAT

Image shown 1200 x 500 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C	
						Btu	Watts
800	400	355	70-85	85-100	C/E/D	1105	324
800	500	455	70-85	85-100	C/E/D	1311	384
800	600	555	70-85	85-100	C/E/D	1528	448
1000	400	355	70-85	85-100	C/E/D	1420	416
1000	500	455	70-85	85-100	C/E/D	1640	481
1000	600	555	70-85	85-100	C/E/D	1848	542
1200	400	355	70-85	85-100	C/E/D	1598	469
1200	500	455	70-85	85-100	C/E/D	1900	557
1200	600	555	70-85	85-100	C/E/D	2180	639
1600	400	355	70-85	85-100	C/E/D	2117	621
1600	500	455	70-85	85-100	C/E/D	2500	733
1600	600	555	70-85	85-100	C/E/D	2895	849
1800	400	355	70-85	85-100	C	1868	548
1800	500	455	70-85	85-100	C	2770	812
1800	600	555	70-85	85-100	C	3259	956

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



CAPO WHITE FLAT

Image shown 1200 x 500 White Flat

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C	
						Btu	Watts
800	400	355	70-85	85-100	C/E/D	1105	324
800	500	455	70-85	85-100	C/E/D	1311	384
800	600	555	70-85	85-100	C/E/D	1528	448
1000	400	355	70-85	85-100	C/E/D	1420	416
1000	500	455	70-85	85-100	C/E/D	1640	481
1000	600	555	70-85	85-100	C/E/D	1848	542
1200	400	355	70-85	85-100	C/E/D	1598	469
1200	500	455	70-85	85-100	C/E/D	1900	557
1200	600	555	70-85	85-100	C/E/D	2180	639
1600	400	355	70-85	85-100	C/E/D	2117	621
1600	500	455	70-85	85-100	C/E/D	2500	733
1600	600	555	70-85	85-100	C/E/D	2895	849
1800	400	355	70-85	85-100	C	1868	548
1800	500	455	70-85	85-100	C	2770	812
1800	600	555	70-85	85-100	C	3259	956

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



OTTONE BRUSHED BRASS

Image shown 1600 x 500 Brushed Brass

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	455	70-85	85-100	C/E/D	886	260	£249.00
1200	500	455	70-85	85-100	C/E/D	1269	372	£339.00
1600	500	455	70-85	85-100	C/E/D	1675	491	£439.00
800	600	555	70-85	85-100	C/E/D	1027	301	£259.00
1200	600	555	70-85	85-100	C/E/D	1471	431	£349.00
1600	600	555	70-85	85-100	C/E/D	1943	570	£459.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly



OTTONE GUN METAL

Image shown 1600 x 500 Gun Metal

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	455	59-69	74-84	C/E/D	886	260	£249.00
1200	500	455	59-69	74-84	C/E/D	1269	372	£339.00
1600	500	455	59-69	74-84	C/E/D	1675	491	£439.00
800	600	555	59-69	74-84	C/E/D	1027	301	£259.00
1200	600	555	59-69	74-84	C/E/D	1471	431	£349.00
1600	600	555	59-69	74-84	C/E/D	1943	570	£459.00

Material Steel

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe center measurement including valves add/subtract 90mm accordingly

Why Choose An Aluminium Radiator?

Exceptionally fast heat response: Aluminium radiators warm up and cool down quickly, allowing for better control of room temperature and reducing wasted energy.

Ideal for renewable heating systems: Perfectly matched with air source and ground source heat pumps, as they operate efficiently at the lower water temperatures these systems provide.

Energy-efficient performance: Because they need less hot water to reach full heat output, they reduce the overall demand on your boiler or heat pump — helping to cut energy bills.

Environmentally friendly: Aluminium is 100% recyclable, meaning it can be reused at the end of its lifespan — helping to reduce waste and support the UK's journey toward net zero.

Low water content: Less water volume means faster heating and less energy consumption — great for modern homes focused on efficiency.

Lightweight and easy to install: Aluminium radiators are much lighter than steel or cast iron alternatives, making them easier to handle, install, and wallmount.

Corrosion resistant: Designed to resist rust and corrosion, making them perfect for the UK's often humid climate and long lifespan.

Future-proof solution: As the UK transitions towards low-carbon heating systems, aluminium radiators are ready to work efficiently with renewable energy technologies.

Excellent heat distribution: Aluminium conducts heat exceptionally well, ensuring even warmth throughout the room.



ALBANO BRASS EFFECT VERTICAL

Image shown 1800 x 510 Brass Effect

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	430	430	50	105	C	5719	1677	£780.00
1800	510	510	50	105	C	6758	1982	£884.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN EUROPEAN NORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



ALBANO SILVER & WHITE & ANTHRACITE

Image shown 1800 x 590 Silver

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	190	190	50	105	C	2599	762	£336.00
1800	270	270	50	105	C	3639	1067	£442.00
1800	350	350	50	105	C	4679	1372	£538.00
1800	430	430	50	105	C	5719	1677	£620.00
1800	510	510	50	105	C	6758	1982	£698.00
1800	590	590	50	105	C	7770	2279	£766.00

Material Aluminium | 5 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



CALDARO BRASS EFFECT VERTICAL

Image shown 1800 x 620 Brass Effect

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	370	370	50	90	C/E/D	3679	1079	£540.00
1800	495	495	50	90	C/E/D	4906	1439	£670.00
1800	620	620	50	90	C/E/D	6130	1798	£770.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



CALDARO VERTICAL

Image shown 1800 x 620 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	245	245	50	90	C/E/D	2452	719	£310.00
1800	370	370	50	90	C/E/D	3679	1079	£426.00
1800	495	495	50	90	C/E/D	4906	1439	£520.00
1800	610	620	50	90	C/E/D	6130	1798	£604.00

Material Aluminium | 5 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



CALDARO HORIZONTAL

Image shown 600 x 1245 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
600	620	620	50	90	C/E/D	2488	730	£312.00
600	870	870	50	90	C/E/D	3483	1021	£430.00
600	995	995	50	90	C/E/D	3980	1167	£480.00
600	1245	1245	50	90	C/E/D	4972	1458	£584.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



GIO

Image shown 1800 x 660 Double Anthracite

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
SINGLE	1800	280	280	35	70	C	2876	843	£290.00
SINGLE	1800	470	470	35	70	C	4793	1406	£420.00
SINGLE	1800	660	660	35	70	C	6711	1968	£550.00
DOUBLE	1800	280	280	57	92	C	3998	1172	£394.00
DOUBLE	1800	470	470	57	92	C	6663	1954	£598.00
DOUBLE	1800	660	660	57	92	C	9329	2736	£798.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



CASINA VERTICAL

Image shown 1800 x 565 Double Anthracite

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
SINGLE	1800	280	280	35	65	C	2834	831	£290.00
	1800	375	375	35	65	C	3779	1108	£336.00
	1800	470	470	35	65	C	4724	1385	£390.00
	1800	565	565	35	65	C	5668	1662	£450.00
	1800	660	660	35	65	C	6613	1939	£530.00
DOUBLE	1800	280	280	57	87	C	3939	1155	£394.00
	1800	375	375	57	87	C	5252	1540	£496.00
	1800	470	470	57	87	C	6566	1926	£598.00
	1800	565	565	57	87	C	7879	2311	£698.00
	1800	660	660	57	87	C	9192	2696	£798.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN EUROPEAN NORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



CASINA HORIZONTAL

Image shown 600 x 1230 Double White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT	
600	470	470	35	65	C/E/D	1575	462	£210.00	SINGLE
600	660	660	35	65	C/E/D	2205	647	£262.00	
600	850	850	35	65	C/E/D	2834	831	£314.00	
600	1040	1040	35	65	C/E/D	3465	1016	£394.00	
600	1230	1230	35	65	C/E/D	4094	1201	£444.00	
600	1420	1420	35	65	C/E/D	4725	1386	£494.00	
600	470	470	57	87	C/E/D	2252	660	£270.00	DOUBLE
600	660	660	57	87	C/E/D	3152	924	£352.00	
600	850	850	57	87	C/E/D	4053	1189	£440.00	
600	1040	1040	57	87	C/E/D	4954	1453	£520.00	
600	1230	1230	57	87	C/E/D	5855	1717	£650.00	
600	1420	1420	57	87	C/E/D	6756	1981	£740.00	

Material Aluminium | 5 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



PIATTO VERTICAL

Image shown 1800 x 595 Double White

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
SINGLE	1800	295	295	35	62	C	2937	861	£330.00
	1800	370	370	35	62	C	3671	1077	£386.00
	1800	445	445	35	62	C	4406	1292	£446.00
	1800	520	520	35	62	C	5140	1507	£510.00
	1800	595	595	35	62	C	5874	1723	£564.00
DOUBLE	1800	295	295	57	83	C	4083	1197	£450.00
	1800	370	370	57	83	C	5103	1496	£540.00
	1800	445	445	57	83	C	6124	1796	£624.00
	1800	520	520	57	83	C	7144	2095	£710.00
	1800	595	595	57	83	C	8165	2394	£796.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN EUROPEAN NORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



PIATTO HORIZONTAL

Image shown 600 x 1195 Double White

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
SINGLE	600	445	445	35	62	C/E/D	1470	431	£204.00
SINGLE	600	595	595	35	62	C/E/D	1960	575	£254.00
SINGLE	600	820	820	35	62	C/E/D	2694	790	£328.00
SINGLE	600	1045	1045	35	62	C/E/D	3430	1006	£408.00
SINGLE	600	1195	1195	35	62	C/E/D	3919	1149	£456.00
SINGLE	600	1420	1420	35	62	C/E/D	4654	1365	£580.00
DOUBLE	600	445	445	57	83	C/E/D	2102	616	£290.00
DOUBLE	600	595	595	57	83	C/E/D	2802	822	£368.00
DOUBLE	600	820	820	57	83	C/E/D	3853	1130	£480.00
DOUBLE	600	1045	1045	57	83	C/E/D	4904	1438	£598.00
DOUBLE	600	1195	1195	57	83	C/E/D	5604	1643	£700.00
DOUBLE	600	1420	1420	57	83	C/E/D	6655	1952	£810.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

The Loco is truly innovative with versatile dual-sided aesthetics. The ability to install with either a sleek flat surface or curved design, both deliver the ultimate design feature.



LOCO VERTICAL

Image shown 1800 x 660 Double White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
1800	280	280	57	87	C	3939	1155	£394.00
1800	375	375	57	87	C	5252	1540	£496.00
1800	470	470	57	87	C	6566	1926	£598.00
1800	565	565	57	87	C	7879	2311	£698.00
1800	660	660	57	87	C	9192	2696	£798.00

Material Aluminium | 5 Year Guarantee | Next Working Day Delivery | EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly

The Loco is truly innovative with versatile dual-sided aesthetics. The ability to install with either a sleek flat surface or curved design, both deliver the ultimate design feature.



white

anthracite

LOCO HORIZONTAL

Image shown 600 x 1230 Double White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 70° Btu	Heat Outputs ΔT 70° Watts	RRP PRICES EX.VAT
600	470	470	57	87	C/E/D	2252	660	£270.00
600	660	660	57	87	C/E/D	3152	924	£352.00
600	850	850	57	87	C/E/D	4053	1189	£440.00
600	1040	1040	57	87	C/E/D	4954	1453	£520.00
600	1230	1230	57	87	C/E/D	5855	1717	£650.00
600	1420	1420	57	87	C/E/D	6756	1981	£740.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



RESIA VERTICAL

Image shown 1800 x 660 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
1800	280	280	50	90	C/E/D	3431	1006	£370.00
1800	375	375	50	90	C/E/D	4575	1342	£476.00
1800	470	470	50	90	C/E/D	5693	1670	£574.00
1800	565	565	50	90	C/E/D	6798	1994	£682.00
1800	660	660	50	90	C/E/D	7890	2314	£786.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



RESIA HORIZONTAL

Image shown 600 x 1230 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
600	470	470	50	90	C/E/D	2054	602	£299.00
600	660	660	50	90	C/E/D	2848	835	£410.00
600	850	850	50	90	C/E/D	3661	1074	£508.00
600	1040	1040	50	90	C/E/D	4475	1312	£606.00
600	1230	1230	50	90	C/E/D	5289	1551	£704.00
600	1420	1420	50	90	C/E/D	6104	1790	£810.00

Material Aluminium | 5 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



MELVIN

Image shown 1800 x 540 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
1800	360	360	31-51	70-90	C/E/D	3631	1065	£414.00
1800	540	540	31-51	70-90	C/E/D	5152	1511	£580.00

MELVIN BRASS EFFECT

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
1800	360	360	31-51	70-90	C/E/D	3631	1065	£520.00
1800	540	540	31-51	70-90	C/E/D	5152	1511	£730.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



PICOLI

Image shown 1800 x 280 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT BLACK-WHITE-ANTHRACITE
						Btu	Watts	
1800	280	140	69-84	94-109	C	2216	650	£310.00
1500	280	140	69-84	94-109	C	2001	587	£325.00
TOWEL BAR IS AVAILABLE IN CHROME.								£62.90

Material Aluminium | 5 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



CARPENA

Image shown 1510 x 500 Black

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
710	500	50	65	92	C	1333	391	£210.00
1190	500	50	65	92	C	2152	631	£299.00
1510	500	50	65	92	C	2698	791	£359.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



VADA

Image shown 1510 x 500 Anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
870	500	50	65	92	C	2248	659	£299.00
1190	500	50	65	92	C	3009	882	£379.00
1510	500	50	65	92	C	3770	1106	£459.00

Material Aluminium

5 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



RIENZA

Image shown 565 x 1000 White

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
565	600	600	51	90	C	2049	601	£294.00
565	800	800	51	90	C	2678	785	£342.00
565	1000	1000	51	90	C	3307	970	£390.00
565	1200	1200	51	90	C	3933	1153	£426.00
565	1400	1400	51	90	C	4561	1338	£480.00

Material Aluminium | 5 Year Guarantee | Next Working Day Delivery | EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly

Why Choose A Stainless Steel Radiator?

Exceptional durability: Stainless steel is a premium, corrosion-resistant material that will never rust — making it ideal for wet rooms, bathrooms, and coastal homes.

Long-lasting investment: With a lifespan far exceeding many other radiator materials, stainless steel radiators often come with up to a 25-year guarantee for total peace of mind.

Retains heat for longer: Once warm, stainless steel holds heat efficiently, meaning your rooms stay cosy even after the heating is turned off — improving overall energy efficiency.

High-quality finish: Available in both polished and brushed finishes, stainless steel radiators add a touch of luxury and modern style to any room — from bathrooms and bedrooms to living spaces and kitchens.

Perfect for humid environments: Unlike mild steel or cast iron, stainless steel does not corrode or flake, ensuring lasting beauty and performance even in moist or steamy conditions.

Excellent heat conductivity: Stainless steel radiators heat up quickly and distribute warmth evenly across the entire surface.

Compatible with modern heating systems: Suitable for use with central heating, electric, and dual fuel systems, and works efficiently alongside renewable heat sources such as air or ground source heat pumps.

Eco-conscious choice: Stainless steel is 100% recyclable, meaning it can be responsibly recycled at the end of its long lifespan — helping to reduce waste and support a more sustainable future.

Consistent performance: Engineered for high heat output and reliable operation, even under demanding conditions.

STAINLESS STEEL RADIATOR



Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL


For pipe centre measurement including valves add/subtract 90mm accordingly

LUNA FLAT

Image shown 1200 x 500 Chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
600	300	268	50-60	65-75	C/E/D	722	212	£192.00
720	350	318	50-60	65-75	C/E/D	1103	323	£230.00
1200	350	318	50-60	65-75	C/E/D	1954	573	£330.00
1500	350	318	50-60	65-75	C/E/D	2294	673	£390.00
430	500	468	50-60	65-75	C/E/D	795	233	£182.00
720	500	468	50-60	65-75	C/E/D	1586	465	£258.00
1200	500	468	50-60	65-75	C/E/D	2180	639	£342.00
1500	500	468	50-60	65-75	C/E/D	2905	852	£440.00
430	600	568	50-60	65-75	C/E/D	909	267	£190.00
720	600	568	50-60	65-75	C/E/D	1711	502	£280.00
1200	600	568	50-60	65-75	C/E/D	2595	761	£380.00
1500	600	568	50-60	65-75	C/E/D	3073	901	£490.00





The range of the Luna and Eos stainless steel towel rails are now polished to a superior standard and feature an elegant design tube arrangement which looks perfect at home in a contemporary or traditional bathroom.

With both models now made in a heavier grade of stainless steel to ensure not just the best quality but you receive the assurance of a 25 year guarantee against manufacturing defect. making these two models the best available stainless steel towel rails in the market.

Consideration has even been given to the design of air vent arrangement. there are no more unsightly air vents on the back of the towel rail and the possibility of venting the system water onto the wall. the new design of air vent is now incorporated and concealed into the top of each towel rail and covered with a perfectly finish screwed on stainless steel cap which completely makes Luna and Eos the answer to your bathroom.



EOS

Image shown 1500 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
430	500	468	50-60	75-85	C/E/D	795	233	£190.00
720	500	468	50-60	75-85	C/E/D	1586	465	£262.00
1200	500	468	50-60	75-85	C/E/D	2180	639	£350.00
1500	500	468	50-60	75-85	C/E/D	2905	852	£450.00
430	600	568	50-60	75-85	C/E/D	909	267	£196.00
720	600	568	50-60	75-85	C/E/D	1711	502	£290.00
1200	600	568	50-60	75-85	C/E/D	2595	761	£390.00
1500	600	568	50-60	75-85	C/E/D	3073	901	£502.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



SAVIO

Image shown 1360 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	470	50-60	67-77	C/E/D	934	274	£262.00
1080	500	470	50-60	67-77	C/E/D	1254	368	£320.00
1360	500	470	50-60	67-77	C/E/D	1575	462	£370.00

Material Stainless Steel

25 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



GROSSO

Image shown 1250 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
850	500	50	65-80	130-145	C/E/D	994	291	£370.00
1250	500	50	65-80	130-145	C/E/D	1381	405	£470.00
1650	500	50	65-80	130-145	C/E/D	1775	521	£580.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



PIAZZA

Image shown 1670 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
870	500	50	65-80	120-135	C/E/D	1025	301	£448.00
1270	500	50	65-80	120-135	C/E/D	1424	418	£569.00
1670	500	50	65-80	120-135	C/E/D	1830	537	£735.00

Material Stainless Steel

25 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



brushed

polished

Can be mounted left or right hand side

CAVO

Image shown 1230 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
530	500	50	65-80	105-120	C/E/D	807	237	£295.00
880	500	50	65-80	105-120	C/E/D	1251	367	£394.00
1230	500	50	65-80	105-120	C/E/D	1581	464	£482.00
1580	500	50	65-80	105-120	C/E/D	2231	654	£658.00

Material Stainless Steel

25 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



CELICO

Image shown 1000 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
585	500	50	65-80	112-127	C/E/D	856	251	£290.00
1000	500	50	65-80	112-127	C/E/D	1711	502	£380.00
1415	500	50	65-80	112-127	C/E/D	2421	710	£530.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



CAPELLI

Image shown 1235 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	50	65-80	90-105	C/E/D	1320	387	£390.00
1235	500	50	65-80	90-105	C/E/D	2017	591	£590.00
1525	500	50	65-80	90-105	C/E/D	2466	723	£690.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



RICADI

Image shown 1440 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
840	500	50	65-80	90-105	C/E/D	1970	578	£470.00
1140	500	50	65-80	90-105	C/E/D	2613	766	£630.00
1440	500	50	65-80	90-105	C/E/D	3189	935	£750.00

Material Stainless Steel

25 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



polished

Can be mounted left or right hand side

ADORA

Image shown 1106 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
800	500	50	65-80	112-127	C/E/D	2232	655	£450.00
1106	500	50	65-80	112-127	C/E/D	2977	873	£600.00

Material Stainless Steel

25 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



LOVERE

Image shown 1230 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
690	500	50	65-80	90-105	C/E/D	961	282	£380.00
960	500	50	65-80	90-105	C/E/D	1489	437	£470.00
1230	500	50	65-80	90-105	C/E/D	2075	609	£580.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



MISA

Image shown 1450 x 530 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
720	530	500	50-60	67-77	C/E/D	866	254	£320.00
1120	530	500	50-60	67-77	C/E/D	1319	387	£440.00
1450	530	500	50-60	67-77	C/E/D	1703	499	£536.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



ALENTO

Image shown 1120 x 530 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
720	530	500	50-60	245-255	C/E/D	1079	316	£390.00
1120	530	500	50-60	245-255	C/E/D	1531	449	£520.00
1450	530	500	50-60	245-255	C/E/D	1916	562	£604.00

Material Stainless Steel

25 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



BELBO

Image shown 1540 x 530 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
820	530	500	50-60	147	C/E/D	1068	313	£310.00
1180	530	500	50-60	147	C/E/D	1539	451	£414.00
1540	530	500	50-60	147	C/E/D	2007	589	£490.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



ELVO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
660	530	500	50-60	264-274	C/E/D	1103	323	£298.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



HELIN

Image shown 1535 x 500 Polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
826	500	460	63-78	103-118	C/E/D	1676	491	£372.00
1120	500	460	63-78	103-118	C/E/D	2347	688	£482.00
1535	500	460	63-78	103-118	C/E/D	3023	887	£625.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



ARDEN

Image shown 1000 x 500 Brushed

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
500	500	470	65-80	80-95	C/E/D	711	209	£289.50
1000	500	470	65-80	80-95	C/E/D	1397	410	£450.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



MINA

Image shown 1170 x 480 Brushed

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C Btu	Heat Outputs ΔT 60°C Watts	RRP PRICES EX.VAT
750	480	440	65-80	80-95	C/E/D	990	290	£280.00
1170	480	440	65-80	80-95	C/E/D	1544	453	£390.00

Material Stainless Steel

25 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



SQUARE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs ΔT 60°C		RRP PRICES EX.VAT
						Btu	Watts	
450	450	50	115-130	125-140	C	612	179	£372.00

Material Stainless Steel | 25 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Boost Modes 2H / 4H /A2 / A4
- 2H: 2 Hours ON
  Automatic Cut After 2 Hours
- 4H: 4 Hours ON
  Automatic Cut After 4 Hours
- A2: 2 Hours ON
  2 Hours Off and Cyles Automatic
- A4: 4 Hours ON
  4 Hours Off and Cyles Automatic
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation /
  Exposed Wiring Installation



ARNAGE DRY ELECTRIC POLISHED

Image shown 500 x 1200 Polished

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
800	500	116	E	105	£258.00
1200	500	116	E	145	£316.00

ARNAGE DRY ELECTRIC MATT BLACK

800	500	116	E	125	£258.00
1200	500	116	E	165	£316.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Boost Modes 2H / 4H /A2 / A4
- 2H: 2 Hours ON
  Automatic Cut After 2 Hours
- 4H: 4 Hours ON
  Automatic Cut After 4 Hours
- A2: 2 Hours ON
  2 Hours Off and Cyles Automatic
- A4: 4 Hours ON
  4 Hours Off and Cyles Automatic
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation /
  Exposed Wiring Installation



ARNAGE DRY ELECTRIC BRUSHED BRASS

Image shown 500 x 1200 Brushed Brass

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
800	500	116	E	125	£318.00
1200	500	116	E	165	£390.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Boost Modes 2H / 4H /A2 / A4
- 2H: 2 Hours ON
  Automatic Cut After 2 Hours
- 4H: 4 Hours ON
  Automatic Cut After 4 Hours
- A2: 2 Hours ON
  2 Hours Off and Cyles Automatic
- A4: 4 Hours ON
  4 Hours Off and Cyles Automatic
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation /
  Exposed Wiring Installation



ARNAGE DRY ELECTRIC GUN METAL

Image shown 500 x 1200 Gun Metal

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
800	500	116	E	105	£318.00
1200	500	116	E	145	£390.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Boost Modes 2H / 4H /A2 / A4
- 2H: 2 Hours ON
  Automatic Cut After 2 Hours
- 4H: 4 Hours ON
  Automatic Cut After 4 Hours
- A2: 2 Hours ON
  2 Hours Off and Cyles Automatic
- A4: 4 Hours ON
  4 Hours Off and Cyles Automatic
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation /
  Exposed Wiring Installation



polished

black

MAIRA DRY ELECTRIC

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts Polished	Heat Outputs Watts Black	RRP PRICES EX.VAT
350	500	280	E	65	80	£249.00
1190	500	280	E	145	165	£370.00

Material Stainless Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Boost Modes 2H / 4H /A2 / A4
- 2H: 2 Hours ON
  Automatic Cut After 2 Hours
- 4H :4 Hours ON
  Automatic Cut After 4 Hours
- A2 :2 Hours ON
  2 Hours Off and Cyles Automatic
- A4 :4 Hours ON
  4 Hours Off and Cyles Automatic
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation /
  Exposed Wiring Installation



SOLARA BRUSHED BRASS

Image shown 1500 x 400 Brushed Brass

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts		RRP PRICES EX.VAT Polished Matt Black	RRP PRICES EX.VAT Brushed Brass Gun Metal
				Polished Brushed Brass Gun Metal	Matt Black		
1500	400	110	E	130	145	£410.00	£470.00

Material Stainless Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Boost Modes 2H / 4H /A2 / A4
- 2H: 2 Hours ON
  Automatic Cut After 2 Hours
- 4H: 4 Hours ON
  Automatic Cut After 4 Hours
- A2: 2 Hours ON
  2 Hours Off and Cyles Automatic
- A4: 4 Hours ON
  4 Hours Off and Cyles Automatic
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation / Exposed Wiring Installation



SOLARA GUN METAL

Image shown 1500 x 400 Gun Metal

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts		RRP PRICES EX.VAT Polished Matt Black	RRP PRICES EX.VAT Brushed Brass Gun Metal
				Polished Brushed Brass Gun Metal	Matt Black		
1500	400	110	E	130	145	£410.00	£470.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Temprature Setting 30-60 C
- Timer Mode 1-8 hours
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring
  Installation / Exposed Wiring Installation



PELMO BRUSHED BRASS & GUN METAL

Image shown 1500 x 200 Brushed Brass

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT Polished & Matt Black	RRP PRICES EX.VAT Brushed Brass & Gun Metal
1500	200	145	E	95	£320.00	£360.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Temprature Setting 30-60 C
- Timer Mode 1-8 hours
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring
  Installation / Exposed Wiring Installation



PELMO POLISHED & MATT BLACK

Image shown 1500 x 200 Polished

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT Polished & Matt Black	RRP PRICES EX.VAT Brushed Brass & Gun Metal
1500	200	145	E	95	£320.00	£360.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Temprature Setting 30-60 C
- Timer Mode 1-8 hours
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation / Exposed Wiring Installation



VISPA BRUSHED BRASS

Image shown 500 x 510 Brushed Brass

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT Polished Matt Black	RRP PRICES EX.VAT Brushed Brass Gun Metal
510	500	118	E	95	£250.00	£290.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Temprature Setting 30-60 C
- Timer Mode 1-8 hours
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring
  Installation / Exposed Wiring Installation



VISPA GUN METAL

Image shown 500 x 510 Gun Metal

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT Polished Matt Black	RRP PRICES EX.VAT Brushed Brass Gun Metal
510	500	118	E	95	£250.00	£290.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Temprature Setting 30-60 C
- Timer Mode 1-8 hours
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring

Installation / Exposed Wiring Installation



VELINO BRUSHED BRASS & GUN METAL

Image shown 500 x 1200 Brushed Brass

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT Polished Matt Black	RRP PRICES EX.VAT Brushed Brass Gun Metal
800	500	118	E	105	£224.00	£250.00
1200	500	118	E	170	£290.00	£340.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Temprature Setting 30-60 C
- Timer Mode 1-8 hours
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation / Exposed Wiring Installation



VELINO MATT BLACK & POLISHED

Image shown 500 x 1200 Matt Black

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT Polished Matt Black	RRP PRICES EX.VAT Brushed Brass Gun Metal
800	500	118	E	105	£224.00	£250.00
1200	500	118	E	170	£290.00	£340.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Class I
- IPX4
- Concealed Wiring
  Installation / Exposed Wiring Installation



polished

RANCE DRY ELECTRIC

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
455	500	116	E	44	£207.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Class I
- IPX4
- Concealed Wiring
  Installation / Exposed Wiring Installation



polished

ORNE DRY ELECTRIC

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
750	550	116	E	50	£239.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Boost Modes 2H / 4H /A2 / A4
- 2H: 2 Hours ON, Automatic Cut After 2 Hours
- 4H: 4 Hours ON, Automatic Cut After 4 Hours
- A2: 2 Hours ON, 2 Hours Off and Cyles Automatic
- A4: 4 Hours ON, 4 Hours Off and Cyles Automatic
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation



INES DRY ELECTRIC BRUSHED BRASS & GUN METAL

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT Gun Metal	RRP PRICES EX.VAT Brushed Brass
1500	22	110	E	35	£260.00	£270.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



- Stainless Steel Body
- LCD Display
- Dry Cable Heating Element
- Heating Mode
- Consistant Heating 24 Hours Cyle
- Boost Modes 2H / 4H /A2 / A4
- 2H: 2 Hours ON, Automatic Cut After 2 Hours
- 4H: 4 Hours ON, Automatic Cut After 4 Hours
- A2: 2 Hours ON, 2 Hours Off and Cyles Automatic
- A4: 4 Hours ON, 4 Hours Off and Cyles Automatic
- Class I
- IPX4
- Wall Mounted
- Concealed Wiring Installation

INES DRY ELECTRIC POLISHED & MATT BLACK

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
1500	22	110	E	35	£220.00

Material Stainless Steel | 2 Year Guarantee | Next Working Day Delivery | EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



- LCD display
- 7 days and 24 hours programmable
- Frost / ECO / Comfort
- Open window detection
- KSD Overheating protection
- Temperature compensation
- LST option: 40 °C/45 °C/50 °C/55 °C
- Heat plus option: 70 °C/75 °C/80°C
- Child lock
- WIFI / Google Home / Alexa Voice Control
- Class I
- IPX0

MAIA VERTICAL

Image shown 1600 x 544

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
1600	362	85	E	1000	£410.00
1600	453	85	E	1500	£480.00
1600	544	85	E	2000	£550.00

Material Aluminium

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- LCD display
- 7 days and 24 hours programmable
- Frost / ECO / Comfort
- Open window detection
- KSD Overheating protection
- Temperature compensation
- LST option: 40 °C/45 °C/50 °C/55 °C
- Heat plus option: 70 °C/75 °C/80°C
- Child lock
- WIFI / Google Home / Alexa Voice Control
- Class I
- IPX0
- Feet included



white

MAIA HORIZONTAL

Image shown 500 x 907

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
500	544	85	E	1000	£290.00
500	725	85	E	1500	£350.00
500	907	85	E	2000	£400.00

Material Aluminium

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



- LCD display
- 7 days and 24 hours programmable
- Frost / ECO / Comfort
- Open window detection
- KSD Overheating protection
- Temperature compensation
- LST option: 40 °C/45 °C/50 °C/55 °C
- Heat plus option: 70 °C/75 °C/80°C
- Child lock
- WIFI / Google Home / Alexa Voice Control
- Class I
- IPX0

NIKA VERTICAL

Image shown 1600 x 544

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
1600	362	85	E	1000	£410.00
1600	453	85	E	1500	£480.00
1600	544	85	E	2000	£550.00

Material Aluminium

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- LCD display
- 7 days and 24 hours programmable
- Frost / ECO / Comfort
- Open window detection
- KSD Overheating protection
- Temperature compensation
- LST option: 40 °C/45 °C/50 °C/55 °C
- Heat plus option: 70 °C/75 °C/80°C
- Child lock
- WIFI / Google Home / Alexa Voice Control
- Class I
- IPX0
- Feet included



NIKA HORIZONTAL

Image shown 500 x 907

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
500	544	85	E	1000	£290.00
500	725	85	E	1500	£350.00
500	907	85	E	2000	£400.00

Material Aluminium

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Aluminium One Press Mould and Extrusion Mould
- Aluminium Block Heating Element
- LED Display
- Comfort Mode
- Eco Mode
- Day Programmable
- Anti-Freeze Mode
- Temprature Compensation
- Temprature Setting 5-35 C
- Open Window Detection
- Wifi /Smart Life App /Tuya /Anroid /IOS
- Class I
- IPX24
- Wall Mounted

white

anthracite





SERRE

Image shown 580 x 800 White

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
580	480	80	E	1000	£194.00
580	640	80	E	1500	£214.00
580	800	80	E	2000	£238.00

Material Aluminium

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Die Cast Aluminium Body
- Ceramic Core Element Heating
- LCD Display
- Comfort Mode
- Eco Mode
- Day and Weekly Programmable
- Anti-Freeze Mode
- Sensor for Movement for max energy saving
- Child Lock
- Temprature Compensation
- Temprature Setting 7-30 C
- Open Window Detection
- Limit Function For LST
- Wifi /Smart Life App /Tuya /Anroid /IOS
- Time Synchronization with App
- Class II
- IPX0
- Wall Mounted



ARON DIE CAST

Image shown 570 x 720 White

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
570	360	90	E	700	£380.00
570	450	90	E	1000	£410.00
570	540	90	E	1500	£460.00
570	720	90	E	2000	£520.00

Material Aluminium | 2 Year Guarantee | Next Working Day Delivery | EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- Mild Steel One Press Mould
- Ceramic Core Element Heating
- LED Display
- Comfort Mode
- Eco Mode
- Day and Weekly Programmable
- Anti-Freeze Mode
- Temprature Compensation
- Temprature Setting 5-35 C
- Open Window Detection
- Wifi /Smart Life App /Tuya /Anroid /IOS
- Class I
- IPX24
- Wall Mounted

white

anthracite





ODET

Image shown 500 x 990 White

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
500	600	85	E	1000	£188.00
500	820	85	E	1500	£248.00
500	990	85	E	2000	£292.00

Material Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

- LCD display
- Mode: Comfort / Eco / anti-freezing
- 7 days and 24 hours programmable
- Temperature regulation: 7-30 °C
- Anti-scald funtion
- Boost / Timing function
- Memory function
- WIFI / Alexa / Google home voice control
- Class I
- IP24



white

black

GIA DRY ELECTRIC

Image shown 1120 550 Black

Overall Height mm	Dimension Width mm	Wall Distance mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
780	550	75	E	500	£298.00
1120	550	75	E	750	£355.00

Material Aluminium

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



Mini Round
Thermostatic
Element Chrome

Weekly
Thermostatic
Element Chrome

On/Off Touch
Element Chrome

Touch
Thermostatic
Chrome

Square Thermostatic
Wifi Element

chrome

Material
Steel

2 Year
Guarantee

Next Working
Day Delivery

EN EURONORM 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

DIVA CHROME FLAT ELECTRIC

Image shown 1400 x 500

Overall Height mm	Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
				Watts Standard Element	Watts Thermostatic Element	
600	300	85-100	E	150	200	£157.00
800	300	85-100	E	150	200	£177.00
800	400	85-100	E	150	200	£189.00
800	450	85-100	E	250	300	£197.00
800	500	85-100	E	250	300	£203.00
800	600	85-100	E	250	300	£217.00
800	750	85-100	E	250	300	£241.00
1000	400	85-100	E	250	300	£207.00
1000	500	85-100	E	250	300	£224.00
1000	600	85-100	E	400	600	£240.00
1200	300	85-100	E	250	300	£211.00
1200	400	85-100	E	400	600	£230.00
1200	450	85-100	E	400	600	£240.00
1200	500	85-100	E	400	600	£245.00
1200	600	85-100	E	400	600	£265.00
1200	750	85-100	E	600	600	£306.00
1400	500	85-100	E	600	600	£279.00
1400	600	85-100	E	600	600	£307.00
1600	300	85-100	E	400	600	£260.00
1600	400	85-100	E	600	600	£284.00
1600	500	85-100	E	600	600	£309.00
1600	600	85-100	E	600	600	£340.00

DIVA CHROME CURVED ELECTRIC

800	400	85-100	E	150	200	£189.00
800	450	85-100	E	250	300	£197.00
800	500	85-100	E	250	300	£203.00
800	600	85-100	E	250	300	£217.00
800	750	85-100	E	250	300	£241.00
1000	400	85-100	E	250	300	£207.00
1000	500	85-100	E	250	300	£224.00
1000	600	85-100	E	400	600	£240.00
1200	400	85-100	E	400	600	£230.00
1200	450	85-100	E	400	600	£240.00
1200	500	85-100	E	400	600	£245.00
1200	600	85-100	E	400	600	£265.00
1200	750	85-100	E	600	600	£306.00
1600	400	85-100	E	600	600	£284.00
1600	500	85-100	E	600	600	£309.00
1600	600	85-100	E	600	600	£340.00

ON/OFF TOUCH ELEMENT OPTION	£44
TOUCH ELEMENT OPTION	£60
MINI ROUND ELEMENT OPTION	£60
WEEKLY PROGRAMABLE ELEMENT OPTION	£100
SQUARE THERMOSTATIC WIFI ELEMENT	£100

Prices include Standard Element. When upgrading to an alternative element, please see chart.



black



On/Off Touch Element Black

Mini Round Thermostatic Element Black

Weekly Thermostatic Element Black

Standard Element

Square Thermostatic Wifi Element

DIVA BLACK FLAT ELECTRIC

Image shown 1200 x 500 Black

Overall Height mm	Dimension Width mm	Wall Distance mm	Heat Outputs		FLAT RRP Prices Ex.VAT Standard
			Watts Standard Element	Watts Thermostatic Element	
800	400	85-100	150	300	£154.00
800	500	85-100	250	300	£164.00
800	600	85-100	250	300	£174.00
1200	400	85-100	400	600	£178.00
1200	500	85-100	400	600	£188.00
1200	600	85-100	400	600	£198.00

ON/OFF TOUCH ELEMENT OPTION	£44
TOUCH ELEMENT OPTION	£60
MINI ROUND ELEMENT OPTION	£60
WEEKLY PROGRAMABLE ELEMENT OPTION	£100
SQUARE THERMOSTATIC WIFI ELEMENT	£100

Prices include Standard Element. When upgrading to an alternative element. please see chart.

Material Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



DIVA ANTHRACITE FLAT ELECTRIC

Image shown 1200 x 600 Anthracite

Overall Height mm	Dimension Width mm	Wall Distance mm	Heat Outputs		FLAT RRP Prices Ex.VAT Standard
			Watts Standard Element	Watts Thermostatic Element	
800	400	85-100	150	300	£154.00
800	500	85-100	250	300	£164.00
800	600	85-100	250	300	£174.00
1200	400	85-100	400	600	£178.00
1200	500	85-100	400	600	£188.00
1200	600	85-100	400	600	£198.00

ON/OFF TOUCH ELEMENT OPTION	£44
TOUCH ELEMENT OPTION	£60
MINI ROUND ELEMENT OPTION	£60
WEEKLY PROGRAMABLE ELEMENT OPTION	£100
SQUARE THERMOSTATIC WIFI ELEMENT	£100

Prices include Standard Element. When upgrading to an alternative element. please see chart.

Material Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



Square Thermostatic Wifi Element



Standard Element



Mini Round Thermostatic Element White



Weekly Thermostatic Element White

white

DIVA WHITE FLAT ELECTRIC

Image shown 1200 x 500 White

Overall Height mm	Dimension Width mm	Wall Distance mm	Heat Outputs		FLAT RRP Prices Ex.VAT Standard
			Watts Standard Element	Watts Thermostatic Element	
800	400	85-100	150	300	£154.00
800	500	85-100	250	300	£164.00
800	600	85-100	250	300	£174.00
1200	400	85-100	400	600	£178.00
1200	500	85-100	400	600	£188.00
1200	600	85-100	400	600	£198.00

ON/OFF TOUCH ELEMENT OPTION	£44
TOUCH ELEMENT OPTION	£60
MINI ROUND ELEMENT OPTION	£60
WEEKLY PROGRAMABLE ELEMENT OPTION	£100
SQUARE THERMOSTATIC WIFI ELEMENT	£100

Prices include Standard Element. When upgrading to an alternative element. please see chart.

Material Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly





Mini Round Thermostatic Element Chrome



Weekly Thermostatic Element Chrome



On/Off Touch Element Chrome



Touch Thermostatic Chrome



Standard Element



Square Thermostatic Wifi Element

CAPO CHROME FLAT & CURVED ELECTRIC

Overall Height mm	Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
				Watts Standard Element	Watts Thermostatic Element	
800	400	85-100	E	150	200	£154.00
800	500	85-100	E	250	300	£160.00
800	600	85-100	E	250	300	£164.00
1000	400	85-100	E	250	300	£161.00
1000	500	85-100	E	250	300	£166.00
1000	600	85-100	E	250	300	£169.00
1200	400	85-100	E	400	600	£167.00
1200	500	85-100	E	400	600	£169.00
1200	600	85-100	E	400	600	£176.00
1600	400	85-100	E	600	600	£213.00
1600	500	85-100	E	600	600	£220.00
1600	600	85-100	E	600	600	£227.00

Image shown 1200 x 500 chrome

ON/OFF TOUCH ELEMENT OPTION	£44
TOUCH ELEMENT OPTION	£60
MINI ROUND ELEMENT OPTION	£60
WEEKLY PROGRAMABLE ELEMENT OPTION	£100
SQUARE THERMOSTATIC WIFI ELEMENT	£100

Prices include Standard Element. When upgrading to an alternative element. please see chart.

Material Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



On/Off Touch
Element Black



Mini Round
Thermostatic
Element Black



Weekly
Thermostatic
Element Black



Standard
Element



Square Thermostatic
Wifi Element

black



CAPO BLACK FLAT ELECTRIC

Image shown 1200 x 500 Black

Overall Height mm	Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
				Watts Standard Element	Watts Thermostatic Element	
800	400	85-100	E	150	200	£149.00
800	500	85-100	E	250	300	£155.00
800	600	85-100	E	250	300	£159.00
1000	400	85-100	E	250	300	£156.00
1000	500	85-100	E	250	300	£161.00
1000	600	85-100	E	250	300	£164.00
1200	400	85-100	E	400	600	£162.00
1200	500	85-100	E	400	600	£164.00
1200	600	85-100	E	400	600	£171.00
1600	400	85-100	E	600	600	£206.00
1600	500	85-100	E	600	600	£213.00
1600	600	85-100	E	600	600	£220.00

ON/OFF TOUCH ELEMENT OPTION	£44
TOUCH ELEMENT OPTION	£60
MINI ROUND ELEMENT OPTION	£60
WEEKLY PROGRAMABLE ELEMENT OPTION	£100
SQUARE THERMOSTATIC WIFI ELEMENT	£100

Prices include Standard Element. When upgrading to an alternative element. please see chart.

Material Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



Mini Round Thermostatic Element Anthracite



Weekly Thermostatic Element Anthracite



On/Off Touch Element Anthracite



Touch Thermostatic Anthracite



Standard Element



Square Thermostatic Wifi Element

anthracite



CAPO ANTHRACITE FLAT ELECTRIC

Overall Height mm	Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
				Watts Standard Element	Watts Thermostatic Element	
800	400	85-100	E	150	200	£149.00
800	500	85-100	E	250	300	£155.00
800	600	85-100	E	250	300	£159.00
1000	400	85-100	E	250	300	£156.00
1000	500	85-100	E	250	300	£161.00
1000	600	85-100	E	250	300	£164.00
1200	400	85-100	E	400	600	£162.00
1200	500	85-100	E	400	600	£164.00
1200	600	85-100	E	400	600	£171.00
1600	400	85-100	E	600	600	£206.00
1600	500	85-100	E	600	600	£213.00
1600	600	85-100	E	600	600	£220.00

Image shown 1200 x 500 Anthracite

ON/OFF TOUCH ELEMENT OPTION	£44
TOUCH ELEMENT OPTION	£60
MINI ROUND ELEMENT OPTION	£60
WEEKLY PROGRAMABLE ELEMENT OPTION	£100
SQUARE THERMOSTATIC WIFI ELEMENT	£100

Prices include Standard Element. When upgrading to an alternative element. please see chart.

Material Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



CAPO FLAT WHITE ELECTRIC

Image shown 1200 x 500 White

Overall Height mm	Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
				Watts Standard Element	Watts Thermostatic Element	
800	400	85-100	E	150	200	£149.00
800	500	85-100	E	250	300	£155.00
800	600	85-100	E	250	300	£159.00
1000	400	85-100	E	250	300	£156.00
1000	500	85-100	E	250	300	£161.00
1000	600	85-100	E	250	300	£164.00
1200	400	85-100	E	400	600	£162.00
1200	500	85-100	E	400	600	£164.00
1200	600	85-100	E	400	600	£171.00
1600	400	85-100	E	600	600	£206.00
1600	500	85-100	E	600	600	£213.00
1600	600	85-100	E	600	600	£220.00

ON/OFF TOUCH ELEMENT OPTION	£44
TOUCH ELEMENT OPTION	£60
MINI ROUND ELEMENT OPTION	£60
WEEKLY PROGRAMABLE ELEMENT OPTION	£100
SQUARE THERMOSTATIC WIFI ELEMENT	£100

Prices include Standard Element. When upgrading to an alternative element. please see chart.

Material Steel

2 Year Guarantee

Next Working Day Delivery

EN 442 EURONORM

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly



VALVES & ACCESSORIES



Portland
Angled Chrome Valve
£25.00 Ex. VAT



Portland
Angled Brushed Valve
£29.00 Ex. VAT



Portland
Angled White Valve
£29.00 Ex. VAT



Portland
Angled Anthracite Valve
£29.00 Ex. VAT



Portland
Angled Black
£29.00 Ex. VAT



Portland
Angled Gun Metal Valve
£39.00 Ex. VAT



Portland
Angled Brushed Brass Valve
£39.00 Ex. VAT



Portland
Straight Gun Metal Valve
£39.00 Ex. VAT



Portland
Straight Brushed Brass Valve
£39.00 Ex. VAT



Portland
Straight Brushed Valve
£29.00 Ex. VAT



Portland
Straight White Valve
£29.00 Ex. VAT



Portland
Straight Chrome Valve
£25.00 Ex. VAT



Portland
Straight Black Valve
£29.00 Ex. VAT



Portland
Straight Anthracite Valve
£29.00 Ex. VAT

1 Year Guarantee

Next Working Day Delivery

All valves are made from a brass material



Crova
Corner Black Valve
£37.00 Ex. VAT



Crova
Corner Anthracite Valve
£37.00 Ex. VAT



Crova
Corner Brushed Valve
£37.00 Ex. VAT



Crova
Corner White Valve
£37.00 Ex. VAT



Crova
Corner Chrome Valve
£37.00 Ex. VAT



Crova
Corner Brushed Brass Valve
£49.00 Ex. VAT



Crova
Corner Gun Metal Valve
£49.00 Ex. VAT



LOGE
Angled Chrome Valve
£31.00 Ex. VAT



LOGE
Angled Brushed Valve
£38.00 Ex. VAT



LOGE
Angled Anthracite Valve
£38.00 Ex. VAT



LOGE
Straight Chrome Valve
£31.00 Ex. VAT



LOGE
Straight Brushed Valve
£38.00 Ex. VAT



LOGE
Straight Anthracite Valve
£38.00 Ex. VAT



Surrey
Angled Chrome Valve
£49.00 EX. VAT



Bronte
Traditional Angled Valve
£36.00 Ex. VAT



Bronte
Traditional Straight Valve
£36.00 Ex. VAT



MODAL TRV
Corner Brushed Valve
£52.00 Ex. VAT



MODAL TRV
Straight Brushed Valve
£52.00 Ex. VAT



MODAL TRV
Angled Brushed Valve
£52.00 Ex. VAT



MODAL TRV
Corner Oiled Bronze Valve
£52.00 Ex. VAT



MODAL TRV
Straight Oiled Bronze Valve
£52.00 Ex. VAT



MODAL TRV
Angled Oiled Bronze Valve
£52.00 Ex. VAT



MODAL TRV
Corner Brushed Brass Valve
£52.00 Ex. VAT



MODAL TRV
Straight Brushed Brass Valve
£52.00 Ex. VAT



MODAL TRV
Angled Brushed Brass
£52.00 Ex. VAT

1 Year Guarantee

Next Working Day Delivery

All valves are made from a brass material



MODAL TRV
Corner Chrome Valve
£45.00 Ex. VAT



MODAL TRV
Straight Chrome Valve
£45.00 Ex. VAT



MODAL TRV
Angled Chrome Valve
£45.00 Ex. VAT



MODAL TRV Dual Fuel
Corner Chrome Valve
£65.00 Ex. VAT



MODAL TRV
Corner Black Valve
£45.00 Ex. VAT



MODAL TRV
Straight Black Valve
£45.00 Ex. VAT



MODAL TRV
Angled Black Valve
£45.00 Ex. VAT



MODAL TRV Dual Fuel
Corner Black Valve
£65.00 Ex. VAT



MODAL TRV
Corner Bronze Valve
£52.00 Ex. VAT



MODAL TRV
Straight Bronze Valve
£52.00 Ex. VAT



MODAL TRV
Angled Bronze Valve
£52.00 Ex. VAT



MODAL TRV Dual Fuel
Corner Bronze Valve
£65.00 Ex. VAT



MODAL TRV
Corner Anthracite Valve
£45.00 Ex. VAT



MODAL TRV
Straight Anthracite Valve
£45.00 Ex. VAT



MODAL TRV
Angled Anthracite Valve
£45.00 Ex. VAT



MODAL TRV Dual Fuel
Corner Anthracite Valve
£65.00 Ex. VAT



MODAL TRV
Corner White Valve
£45.00 Ex. VAT



MODAL TRV
Straight White Valve
£45.00 Ex. VAT



MODAL TRV
Angled White Valve
£45.00 Ex. VAT



MODAL TRV Dual Fuel
Corner White Valve
£65.00 Ex. VAT

1 Year Guarantee

Next Working Day Delivery

All valves are made from a brass material



T-Piece Chrome
(Dual Fuel)

£10.00 Ex. VAT



T-Piece White
(Dual Fuel)

£10.00 Ex. VAT



T-Piece Anthracite
(Dual Fuel)

£10.00 Ex. VAT



T-Piece Brushed Brass
(Dual Fuel)

£10.00 Ex. VAT



Chrome Pipe Kit

130 mm £25.00 Ex. VAT
200 mm £19.00 Ex. VAT




Black Pipe Kit
(130 mm)

£25.00 Ex. VAT



White Pipe Kit
(130 mm)

£25.00 Ex. VAT




Brushed Brass Pipe
Kit (130 mm)

£25.00 Ex. VAT



Anthracite Pipe Kit
(130 mm)

£25.00 Ex. VAT



Liquid Filling for Electric
Only Models

£70.00 Ex. VAT

These are 15mm chrome pipes not sleeves

1 Year Guarantee

Next Working Day Delivery

All valves are made from a brass material



ELEMENTS





On/Off Touch Element (ELMOOT) (Chrome. Black. Anthracite)

200 (watts)	£85.00 Ex. VAT
300 (watts)	£85.00 Ex. VAT
600 (watts)	£85.00 Ex. VAT
900 (watts)	£85.00 Ex. VAT

- Heating On/Off
- IP44 Class
- Class I







Weekly Thermostatic Control (White. Chrome. Black. Anthracite, Brass)

200 (watts)	£123.00 Ex. VAT
300 (watts)	£123.00 Ex. VAT
600 (watts)	£123.00 Ex. VAT
900 (watts)	£123.00 Ex. VAT

- IP44 Class
- Class I
- Open window
- Child lock
- Adjustable from +7°C to +35°C with visible comfort range
- Day and hour information
- Weekly timer (7/24)






Mini Round Thermostatic Control Unit (ELMMRN) (White. Chrome. Black. Anthracite)

200 (watts)	£112.00 Ex. VAT
300 (watts)	£112.00 Ex. VAT
600 (watts)	£112.00 Ex. VAT
900 (watts)	£112.00 Ex. VAT

- Class I and Class II
- IP44 Class
- Heating on/off
- Adjustable from +7°C to +35°C with visible comfort range
- Timer Function (Timer function enables to program the unit for 1 to 5 hours.)





Low Temperature Elements (43º)

(White, Chrome, Black, Anthracite, Brass)

300 (watts) £122.00 Ex. VAT
600 (watts) £122.00 Ex. VAT

- IP44
- Class I
- It is only compatible with Weekly and Mini Round products.
- Internal protection against overhating faults by thermofuse (121°C)
- Built-in temperature sensor protects the device from overheating. limiting the temperature of the radiator to maximum of 50°C.





Touch Thermostatic Heating Element (Chrome, Anthracite, Brass)

Available in: (With Cable Cover)

300 (watts) £120.00 Ex. VAT
600 (watts) £120.00 Ex. VAT
900 (watts) £120.00 Ex. VAT

- Protection Rating: IP44
- Insulation Class: I
- Standby Mode
- Boost Mode: 2/4 Hours
- Overheat protection
- Temperature Compensation
- Open Window Detection



Square Thermostatic WIFI Element

(Chrome)

300 (watts) £125.00 Ex. VAT
600 (watts) £125.00 Ex. VAT

- Wifi / Smart Life App
- Room Temperature: 7°C -30°
- Internal Fluid Temperature: 30°C -70°C
- Frost Protection 7°C / Timer Mode
- Heat Plus / Child Lock / LST Mode
- Open Window Detection



Standard Heating Element

This product does not conform to European Ecodesign Directive (2009/125/EC) Lot 20 and should not be used to warm a room

- IP55
- Class I

150 (watts) £49.00 Ex. VAT
250 (watts) £49.00 Ex. VAT
400 (watts) £49.00 Ex. VAT
600 (watts) £49.00 Ex. VAT
800 (watts) £49.00 Ex. VAT

Optional white cap for standard element



Wireless Programmable Thermostat

£124.90 Ex. VAT

- 433MHz frequency for stable reception
- 16A contacts
- °F or °C display
- 5+1+1 Day settings with 4 periods per day
- Holiday & Hold modes
- Separate settings for Monday-Friday.
- Saturday and Sunday
- Back Light
- Channels set by DIP switch for multiple operation
- 100m maximum operating distance (open site)
- 2 Years product guarantee

RAL COLOURS CHART

REINA now offer 53 exciting RAL colour options on dedicated Radiators
All finishes are powder coated and are available within 8-15 working days from point of order (subject to stock availability). Once acknowledged bespoke RAL orders cannot be cancelled.


1000 Green Beige


1001 Pale Beige

1013 Oyster White


1015 Light Ivory


2004 Pure Orange


5002 Ultramarine Blue


1036 Pearl Gold


2003 Pastel Orange


3002 Carmine Red


5015 Middle Sky Blue


3000 Flame Red


3001 Signal Red


6029 Mint Green


7015 Slate Grey


5003 Dark Sapphire Blue


3005 Wine Red


7032 Grey


7035 Pale Grey


6005 Light Moss


5005 Signal Blue


8003 Clay Brown


8017 Chocolate Brown


7016 Anthracite Grey


7030 Stone Grey

9002 Grey White


9005 Jet Black


7040 Window Grey


7042 Traffic Grey A


9006 White Aluminum


9007 Grey Aluminium


8019 Grey Brown

9001 Cream


1023 Traffic Yellow

Available 8-15 Working Days

SPECIAL RAL COLOURS

All finishes are powder coated and are available within 8-15 working days from point of order (subject to stock availability). Ral Painted Radiators are Non-Cancellable



Available 8-15 Working Days

TERMS & CONDITIONS OF SALE

DEFINITION

These conditions of Sale are between Atay Global LTD (Seller) and the Retailer (Buyer);
Should the End-user have any questions or queries regarding their order they must seek help through their Retailer;
These conditions of Sale are expressly incorporated as terms of any orders (the goods) which we accept;
“Goods” means the goods which we supply in accordance with these conditions;
“Seller” shall mean goods solely supplied by Atay Global Ltd;
“Buyer” shall mean the trading entity that has entered into this formal contract with the Seller;
“End-User” shall mean the legal entity purchasing the Goods from the Buyer;
Unless otherwise expressly agreed in writing by the Seller, these conditions shall form part of this contract, and they shall apply not only to the present transactions but also to all future business between the Seller and the Buyer;
Each separate new order will be viewed as a new ‘contract’ and the Seller will be subject to all Terms & Conditions of Sale at the point of order
These Conditions shall apply to all orders

BASIS OF SALE

These terms and conditions govern all sales made by The Seller. Any changes or exceptions to these terms will only be valid if explicitly agreed upon in writing by both parties. The Seller reserves the right to correct any typographical, clerical, or other errors in the sales materials, quotations, price lists, order confirmations, invoices, or other documents, without incurring any liability.
Please note that this agreement does not transfer ownership of any Intellectual Property Rights the seller holds. These remain the Sellers exclusive property. All orders are subject to the Sellers approval and stock availability. If the items the Buyer orders are out of stock or not part of our standard inventory, the seller will reach out to the Buyer to arrange a convenient delivery timeframe.

RETENTION & TRANSFER OF TITLE OF GOODS

Title to the ‘Goods’ shall remain the Seller’s property until paid in full by the Buyer.
Goods supplied by the Seller shall be at the Buyers risk immediately on delivery to the Buyer or into custody on the Buyer’s behalf (whichever is the soonest) and the Buyer should therefore be insured accordingly.
Property in Goods supplied will only pass to the Buyer when the Goods, which are the subject of the contract, have been paid for in full. When payment has become due and has not been received in full by the Seller the Seller shall have the absolute right and sole discretion to treat the contract as discharged and repossess the Goods supplied there under.
In the event of the Buyer becoming insolvent or of a liquidator or receiver being appointed to administer the Buyer’s affairs prior to payment in full to the Seller, the Seller shall have the absolute right and sole discretion to forthwith treat the contract as discharged and to repossess the Goods with no formal or legal notice. Should the Goods (or any of them) be converted into a new product, whether or not such conversion involved the additional mixture of any other goods whatsoever and in whatever proportions, the conversion shall be deemed to have been affected on behalf of the Seller and the Seller shall be the full legal and beneficial ownership of the new product.
The Buyer shall be at liberty to sell the Goods and the new products/amendments to any contracted order as stipulated within this clause, above ordinary course of business on the basis that to proceed of the sale shall belong to the Seller whom the Buyer account on demand.
The Seller may at any time revoke the Buyer’s “Power of Sale” by notice in writing to the Buyer if default for longer than 7 (seven) days in the payment of any sum whatsoever due to the Seller (whether in respect of the goods or any other goods whatsoever) if the Seller has bona fide doubts as to the Solvency of the Buyer. Upon determination of the Buyer’s “Power of Sale”, the Buyer shall place the Goods and the new products at the disposal of the Seller who shall be entitled to enter upon any premises of the Buyer for the purpose of removing such goods and new products/amendments from the premises (including severance from the reality where necessary).

ORDERS AND SPECIFICATIONS

The Buyer is responsible for ensuring that the details of any order they place with the Seller, including any applicable specifications, are accurate. Additionally, the Buyer must provide The Seller with all necessary information about the goods within a reasonable timeframe to allow the Seller to fulfil the order as agreed. The quantities, descriptions, and specifications of the goods will align with those outlined in the quotation or in the acknowledgement of the order. All technical data, measurements, and performance outputs provided are based on the manufacturer’s specifications at the time of publication.
Please note that manufacturers reserve the right to modify, discontinue, or update products, including all brackets and fixtures, as shown in our catalogue. The Seller recommends confirming the validity of any published technical data and prices at the time of placing the order. For white radiators, variations may occur between different colour codes due to manufacturing tolerances.
Additionally, some colour finishes may differ ever so slightly from the provided colour samples or RAL charts.
All heat outputs are quoted on individual pages, in compliance with BSEN442. All dimensions are given as an indication only.
These products conform to European Ecodesign Directive (2009/125/EC) Lot 20.

PRICES

All prices are strictly net unless otherwise quoted. The Seller reserves the right to increase the prices quoted without notification, should there be any increase in the cost of labour, materials, duties, rates of exchange, freight or other charges, expenses and costs payable by the Seller before delivery. Unless otherwise expressly stated by the Seller in writing, all orders are accepted on the condition that Goods will be charged at the prices ruling on the day of delivery. Unless otherwise agreed in writing by the Seller, these Terms & Conditions of Sale supersede any earlier pricing or amendments to pricing. The Seller agreed to supply Goods to the Buyer on agreed pricing terms and the Seller reserves the right to amend these terms without prior notification.

APPROVED CREDIT LIMITS AND ACCOUNT PAYMENT TERMS

The Seller requires the full balance of the total amount due to commission an order, the balance being paid prior to delivery unless credit facilities have been granted by the Seller in writing.
Payment shall be made to the Seller, strictly 30 days from the end of the month after the date of invoice (unless terms to the contrary have been agreed by the Seller).
Invoices are generated on the date of despatch.
Remittances are to be made direct to the Seller's UK Head Office.
The Seller reserves the right to reduce or remove credit facilities with no notification, should payment terms not be adhered to.

DISPATCH

All quoted dispatched dates are given bona fide and are what the Seller expects to achieve, with every effort made to adhere to them.
The Seller shall not accept any liability for failure to dispatch within such a time.
Time for dispatch shall be extended for a reasonable time if delay is caused by instructions or lack of instructions from the Buyer.
Dispatch time may be extended during holiday period and factory shut down.

STORAGE

If the Seller does not receive instructions within 14 days after notification that the goods are ready for despatch, Goods will be delivered to the Buyer at the address specified on the order.
The Seller is prepared in an emergency (storage facilities permitting) to store goods on a temporary basis at such a charge as the Seller may deem reasonable and the Buyer will be notified of these charges in writing.
Any charges for storage or for demurrage after despatch must be paid for by the Buyer before despatch.

DELIVERY

Every effort will be made to adhere to quoted delivery dates by the Seller.
Deliveries are dependent on outside courier companies.
The Seller shall not accept any liability for failure to despatch within such a time.
Where deliveries fail due to the End-User, the Seller may pass on failed delivery/redelivery charges to the Buyer.
Failure to provide all requested information to the Seller may lead to extended despatch times.
Despatch times may be extended during holiday periods and company shutdowns.
Packaging is free, disposal of is not the responsibility of the Seller.
Pallet deliveries will made curb side.
The consignee is responsible for transporting goods into their property.
Goods may be left safe at the Couriers discretion but only when requested by the End-User.
It is recommended that once checked, goods are stored in their original packaging in a safe and secure area.
The Seller cannot accept responsibility for items damaged after delivery and cannot accept any responsibility for any claims that occur after delivery, unless notified and investigated within the contracted time limit.
All Goods dispatched by the Seller is notified to the Buyer and the Buyer must notify the Seller if Goods are not received within10 days of dispatch notification for any claim of "non-delivery" of Goods to be valid.
Any damages, defects and shortages must be reported by the Buyer in writing within three working days of delivery and failure to comply may invalidate any claim.
Once notified of any damages, defects or shortages, the Seller may request evidence of damage for verification.
The Seller will then professionally and fairly review each case individually and thereafter it is to the Sellers discretion after investigation to either repair or replace any goods or part of goods so damaged; or allow the Buyer credit in respect thereof in such amount as may be agreed with the Buyer or in default as fixed by the Seller at the Seller's discretion.
The Seller's liability under this condition shall be limited to repairing or allowing credit as previously stated.

UNAVOIDABLE LOSS OR DELAY

The Seller shall not be liable for any non-delivery or late delivery of Goods on own-vehicle or 3rd Party Carrier.
The Seller shall not accept responsibility in respect of Goods to have been lost or damaged in transit where delivery is otherwise than by the Seller.
The Seller can accept no responsibility for loss or delay occasioned by ware, civil commotions, strikes, lock outs trade disputes, shortages of labour, fire accident or destruction of plant, machines, apparatus or materials or loss or damage to any of the Seller's suppliers or in transit or any act of God or force majeure or other circumstances over which the Seller has no control.

INSTALLATION

The goods will be considered accepted once the goods have been delivered. Please note that The Seller cannot under any circumstance accept claims for any visible defects identified after installation. The Seller does not accept responsibility for any costs related to installation, including but not limited to plumber's fees, decorator's charges, transport expenses, late penalties, or any other associated costs. This applies to situations arising from defects in the goods, such as manufacturing faults (e.g., leaks) that become evident during or after installation, or delays in the delivery of the goods.
The Seller strongly advises against scheduling any installers or contractors until the goods have been delivered and thoroughly inspected. If any items appear to be damaged, the seller advises to refrain from proceeding with installation.

CARRIAGE CHARGES

All prices are inclusive of carriage charges within the mainland of the United Kingdom.
The Highlands of Scotland and Isles off the United Kingdom and Scotland are exceptions to pricing inclusive of carriage charges and carry an additional delivery charge which is required to be agreed the Seller and the Buyer prior to despatch.
A quotation for deliveries and timings of deliveries outside of mainland United Kingdom can be requested to the Seller.
Orders under the valve of £60 Ex. VAT will be subject to a delivery fee if the order does not include a radiator/towel rail.

CANCELLATIONS OR ALTERATIONS

Orders cannot be cancelled except with the Seller's consent and on terms that will indemnify the Seller against loss.
Cancellations must be made in writing and acknowledged by the Seller.
Any alterations to an order must be made in writing and acknowledged, please note that orders cannot be altered once an order has been despatched.
Where goods are rejected by the consignee/End-User, charges may apply to the Buyer and will be advised by the Seller.
Once all custom made/bespoke finish/RAL orders have entered into and commenced production, these cannot be cancelled not can be returned on delivery.

RETURN OF GOODS

Only in exceptional circumstances and by previous agreement with the Seller will the Seller accept back for credit items that have been supplied against confirmed orders.
Providing the goods to be returned are new, packaged as new and in un-used condition the net value of the goods returned less a re-stocking charge will be credited to the Buyer subject to inspection.
The Seller has the right to deny any return and credit upon receipt and inspection of the Goods.

COLLECTIONS

Collections will be booked at the discretion of the Seller providing requested Returns Collection Form has been completed and accepted accordingly and images have been provided.
Failed collections may be chargeable and will be advised to the Buyer by the Seller.

PERFORMANCE

No liability will be accepted by the Seller or the Seller's servants, agents or sub-contractors for failure to attain any performance figures quoted unless the Seller has specifically guaranteed them unless they are quoted in our official catalogue in force at the date of delivery.
The Seller reserves the right to amend our performance specification periodically but should this occur between the date of order and the date of delivery the Seller will immediately advise the Buyer.

GUARANTEE AND LIABILITY

The guarantee is offered subject to the goods being installed by a full certified and registered installer.
Any alterations to the specification using non-approved parts/accessories/fittings or incorrect installation shall invalidate the guarantee in full.
The Seller shall have sole discretion when deciding to replace an item which is agreed to be faulty.
In cases of replacement the Seller reserves the right to offer the nearest equivalent product where the original is not available.
The Sellers liability is limited to the supply of replacement product/parts and does not include cost incurred in effecting a replacement.
All replacement products are chargeable.
Credit will only be raised upon receipt and inspection of the original goods.
Goods found to be in good working order and damaged products where damage is believed to have been caused on site will not be credited.
Under no circumstances will the Seller or their employees, agents or subcontractors be liable for any loss or damage of any kind whatsoever, (except arising from death or personal injury) whether consequential or otherwise caused directly or indirectly by any negligence on the Sellers part or part of any of the seller employees, agents or subcontractors, in connection with or arising out of the manufacture or supply of the goods or in connection with any advice or statement given or made by or on the sellers behalf.

SAMPLES & DISPLAYS

All goods supplied for samples and displays are subject to agreed discounts and are for display use only (NOT FOR RESALE).
Display products remain the property of the Seller until paid in full.

LAW, JURISDICTION AND LANGUAGE

These conditions shall be constructed and governed in accordance with English Law and any dispute or difference arising between the Seller and the Buyer concerning or relating to these conditions shall be submitted to the exclusive jurisdiction of the Courts of England & Wales.
The Seller reserves the right to change these Terms & Conditions without prior notification.
All Contracts are concluded in English.



Atay Global Ltd. Unit 6. Weybridge Farm. Stambourne Road.
Great Yeldham. Essex. CO9 4RB
Tel: 01787 238540 | Fax: 01787 237991
www.reinadesign.co.uk | info@atayglobal.com

REINA
DESIGNER RADIATOR

In the interest of continuing design. development and product development. we reserve the right to change colours. designs and product specifications or method of manufacture. Such changes may be made without prior notice and without incurring any obligation. Indications of the colourways throughout this brochure are as accurate as photographic and print processes will allow. This brochure does not form part of a contract of sale. e&oe

All materials, content, and intellectual property included in this brochure, including but not limited to text and images, are the property of Atay Global Ltd unless otherwise stated. No part of this brochure may be reproduced, distributed, or transmitted in any form or by any means, electronic or mechanical, without the prior written permission of Atay Global Ltd. Specifically all images are © 2025/2026 "All rights reserved" by Atay Global Ltd.