


CAPO FLAT

Mild Steel Towel Rail



REINA
DESIGNER RADIATOR



chrome

anthracite

black

white

REINA
DESIGNER RADIATOR




CAPO FLAT

Mild Steel Towel Rail



REINA
DESIGNER RADIATOR



5 Years Guarantee



Material: Mild Steel

The Reina Capo Flat Towel Radiator features a modern ladder design with straight tubes, available in anthracite, black, or chrome finishes. Crafted from durable steel, it provides superb heat output and optimal warmth distribution through its 22mm horizontal tubes. Enjoy stylish functionality with the peace of mind of a 5-year guarantee.




CAPO FLAT

Mild Steel Towel Rail




REINA
DESIGNER RADIATOR


Available Sizes




800 x 400




800 x 500




800 x 600




1000 x 400




1000 x 500




1000 x 600




1200 x 400




1200 x 500




1200 x 600




1600 x 400




1600 x 500



1600 x 600



Available Colours





Dimensions & Technical Data

Height (mm)	Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Dry Weight	No. Bars	Fuel Type
800	400	355	70-85	85-100	-	12	C/E/D
800	500	455	70-85	85-100	-	12	C/E/D
800	600	555	70-85	85-100	-	12	C/E/D
1000	400	355	70-85	85-100	-	16	C/E/D
1000	500	455	70-85	85-100	-	16	C/E/D
1000	600	555	70-85	85-100	-	16	C/E/D
1200	400	355	70-85	85-100	-	18	C/E/D
1200	500	455	70-85	85-100	-	18	C/E/D
1200	600	555	70-85	85-100	-	18	C/E/D
1600	400	355	70-85	85-100	-	24	C/E/D
1600	500	455	70-85	85-100	-	24	C/E/D
1600	600	555	70-85	85-100	-	24	C/E/D
1800	400	355	70-85	85-100	-	27	C/E/D
1800	500	455	70-85	85-100	-	27	C
1800	600	555	70-85	85-100	-	27	C

C: Central Heating / E: Electric / D: Dual Fuel

CAPO FLAT

Mild Steel Towel Rail



Central Heating Heat Outputs

Model/SKU	Height (mm)	Width (mm)	Colour	Heat Outputs $\Delta T50^{\circ}\text{C}$		Heat Outputs $\Delta T60^{\circ}\text{C}$	
				BTU	Watts	BTU	Watts
CPO0840CF	800	400	 Chrome	585	172	749	220
CPO0840AF	800	400	 Anthracite	863	253	1105	324
CPO0840KF	800	400	 Black	863	253	1105	324
CPO0840WF	800	400	 White	863	253	1105	324
CPO0850CF	800	500	 Chrome	692	203	886	260
CPO0850AF	800	500	 Anthracite	1024	300	1311	384
CPO0850KF	800	500	 Black	1024	300	1311	384
CPO0850WF	800	500	 White	1024	300	1311	384
CPO0860CF	800	600	 Chrome	802	235	1027	301
CPO0860AF	800	600	 Anthracite	1194	350	1528	448
CPO0860KF	800	600	 Black	1194	350	1528	448
CPO0860WF	800	600	 White	1194	350	1528	448
CPO1040CF	1000	400	 Chrome	750	220	960	282
CPO1040AF	1000	400	 Anthracite	1109	325	1420	416
CPO1040KF	1000	400	 Black	1109	325	1420	416
CPO1040WF	1000	400	 White	1109	325	1420	416
CPO1050CF	1000	500	 Chrome	860	252	1101	323
CPO1050AF	1000	500	 Anthracite	1281	376	1640	481
CPO1050KF	1000	500	 Black	1281	376	1640	481
CPO1050WF	1000	500	 White	1281	376	1640	481
CPO1060CF	1000	600	 Chrome	971	285	1243	365
CPO1060AF	1000	600	 Anthracite	1444	423	1848	542
CPO1060KF	1000	600	 Black	1444	423	1848	542
CPO1060WF	1000	600	 White	1444	423	1848	542
CPO1240CF	1200	400	 Chrome	840	246	1075	315
CPO1240AF	1200	400	 Anthracite	1248	366	1598	469
CPO1240KF	1200	400	 Black	1248	366	1598	469
CPO1240WF	1200	400	 White	1248	366	1598	469
CPO1250CF	1200	500	 Chrome	991	291	1269	372
CPO1250AF	1200	500	 Anthracite	1484	435	1900	557
CPO1250KF	1200	500	 Black	1484	435	1900	557
CPO1250WF	1200	500	 White	1484	435	1900	557
CPO1260CF	1200	600	 Chrome	1149	337	1471	431

Model/SKU	Height (mm)	Width (mm)	Colour	Heat Outputs $\Delta T50^{\circ}\text{C}$		Heat Outputs $\Delta T60^{\circ}\text{C}$	
				BTU	Watts	BTU	Watts
CPO1260AF	1200	600	● Anthracite	1703	499	2180	639
CPO1260KF	1200	600	● Black	1703	499	2180	639
CPO1260WF	1200	600	● White	1703	499	2180	639
CPO1640CF	1600	400	● Chrome	1110	326	1421	417
CPO1640AF	1600	400	● Anthracite	1654	485	2117	621
CPO1640KF	1600	400	● Black	1654	485	2117	621
CPO1640WF	1600	400	● White	1654	485	2117	621
CPO1650CF	1600	500	● Chrome	1309	384	1675	491
CPO1650AF	1600	500	● Anthracite	1953	573	2500	733
CPO1650KF	1600	500	● Black	1953	573	2500	733
CPO1650WF	1600	500	● White	1953	573	2500	733
CPO1660CF	1600	600	● Chrome	1518	445	1943	570
CPO1660AF	1600	600	● Anthracite	2262	663	2895	849
CPO1660KF	1600	600	● Black	2262	663	2895	849
CPO1660WF	1600	600	● White	2262	663	2895	849
CPO1840CF	1800	400	● Chrome	1173	344	1502	440
CPO1840AF	1800	400	● Anthracite	1459	428	1868	548
CPO1840KF	1800	400	● Black	1459	428	1868	548
CPO1840WF	1800	400	● White	1459	428	1868	548
CPO1850CF	1800	500	● Chrome	1434	421	1836	538
CPO1850AF	1800	500	● Anthracite	2164	635	2770	812
CPO1850KF	1800	500	● Black	2164	635	2770	812
CPO1850WF	1800	500	● White	2164	635	2770	812
CPO1860CF	1800	600	● Chrome	2330	683	2982	874
CPO1860AF	1800	600	● Anthracite	2456	747	3144	956
CPO1860KF	1800	600	● Black	2456	747	3144	956
CPO1860WF	1800	600	● White	2456	747	3144	956