

# LUNA

Stainless Steel Towel Rail



**REINA**  
DESIGNER RADIATOR



polished  
stainless steel

**REINA**  
DESIGNER RADIATOR



# LUNA

## Stainless Steel Towel Rail



# REINA

DESIGNER RADIATOR



25 Years Guarantee



Material: Stainless Steel

The Reina Luna Towel Radiator combines classic elegance with practicality, crafted from premium stainless steel and finished in polished stainless steel for a luxurious look. With heights from 430mm to 1500mm and widths of 500mm to 600mm, it fits various room layouts while providing exceptional heat output of 881 BTU to 3749 BTU for optimal warmth and comfort.




# LUNA


Stainless Steel Towel Rail



## Available Sizes



## Available Colours



polished  
stainless steel



### Dimensions & Technical Data

| Height (mm) | Width (mm) | Pipe Centres (mm) | Wall to Pipe Centres (mm) | Wall Distance (mm) | Dry Weight | No. Bars | Fuel Type |
|-------------|------------|-------------------|---------------------------|--------------------|------------|----------|-----------|
| 430         | 500        | 468               | 50-60                     | 65-75              | -          | 6        | C/E/D     |
| 430         | 600        | 568               | 50-60                     | 65-75              | -          | 6        | C/E/D     |
| 600         | 300        | 268               | 50-60                     | 65-75              | -          | 9        | C/E/D     |
| 720         | 350        | 318               | 50-60                     | 65-75              | -          | 10       | C/E/D     |
| 720         | 500        | 468               | 50-60                     | 65-75              | -          | 10       | C/E/D     |
| 720         | 600        | 568               | 50-60                     | 65-75              | -          | 10       | C/E/D     |
| 1200        | 350        | 318               | 50-60                     | 65-75              | -          | 16       | C/E/D     |
| 1200        | 500        | 468               | 50-60                     | 65-75              | -          | 16       | C/E/D     |
| 1200        | 600        | 568               | 50-60                     | 65-75              | -          | 16       | C/E/D     |
| 1500        | 350        | 318               | 50-60                     | 65-75              | -          | 20       | C/E/D     |
| 1500        | 500        | 468               | 50-60                     | 65-75              | -          | 20       | C/E/D     |
| 1500        | 600        | 568               | 50-60                     | 65-75              | -          | 20       | C/E/D     |

C: Central Heating / E: Electric / D: Dual Fuel



### Central Heating Heat Outputs

| Model/SKU   | Height (mm) | Width (mm) | Colour                     | Heat Outputs $\Delta T 50^{\circ}\text{C}$ |       | Heat Outputs $\Delta T 60^{\circ}\text{C}$ |       |
|-------------|-------------|------------|----------------------------|--------------------------------------------|-------|--------------------------------------------|-------|
|             |             |            |                            | BTU                                        | Watts | BTU                                        | Watts |
| RNS-LN5043  | 430         | 500        | ● Polished Stainless Steel | 621                                        | 182   | 795                                        | 233   |
| RNS-LN6043  | 430         | 600        | ● Polished Stainless Steel | 710                                        | 208   | 909                                        | 267   |
| RNS-LN3060  | 600         | 300        | ● Polished Stainless Steel | 564                                        | 165   | 722                                        | 212   |
| RNS-LN35072 | 720         | 350        | ● Polished Stainless Steel | 862                                        | 253   | 1103                                       | 323   |
| RNS-LN5072  | 720         | 500        | ● Polished Stainless Steel | 1239                                       | 363   | 1586                                       | 465   |
| RNS-LN6072  | 720         | 600        | ● Polished Stainless Steel | 1337                                       | 392   | 1711                                       | 502   |
| RNS-LN35120 | 1200        | 350        | ● Polished Stainless Steel | 1527                                       | 448   | 1954                                       | 573   |
| RNS-LN5120  | 1200        | 500        | ● Polished Stainless Steel | 1703                                       | 499   | 2180                                       | 639   |
| RNS-LN6120  | 1200        | 600        | ● Polished Stainless Steel | 2027                                       | 595   | 2595                                       | 761   |
| RNS-LN35150 | 1500        | 350        | ● Polished Stainless Steel | 1792                                       | 526   | 2294                                       | 673   |
| RNS-LN5150  | 1500        | 500        | ● Polished Stainless Steel | 2270                                       | 666   | 2905                                       | 852   |
| RNS-LN6150  | 1500        | 600        | ● Polished Stainless Steel | 2401                                       | 704   | 3073                                       | 901   |